

10.02.2015 19:58:40: NibeRS485: Ignoring
10.02.2015 19:58:40: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:40: NibeRS485: Sending ACK
10.02.2015 19:58:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:40: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:40: NibeRS485: Sending ACK
10.02.2015 19:58:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:40: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:40: NibeRS485: Ignoring
10.02.2015 19:58:40: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.BT1 Outdoor temp.
10.02.2015 19:58:40: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:40: TaloLoggerThreadStore: Logged data for timestamp 20150210195830
dummy: 4.2
nibeoutdoor:
10.02.2015 19:58:40: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.BT1 Outdoor temp.
10.02.2015 19:58:40: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:40: TaloLoggerThreadStore: Logged data for timestamp 20150210195835
dummy: 4.3
nibeoutdoor:
10.02.2015 19:58:40: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.BT1 Outdoor temp.
10.02.2015 19:58:40: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:40: TaloLoggerThreadStore: Logged data for timestamp 20150210195840
dummy: 4.3
nibeoutdoor:
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:41: NibeRS485: Ignoring
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:41: NibeRS485: Sending ACK
10.02.2015 19:58:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:41: NibeRS485: Sending ACK
10.02.2015 19:58:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1E 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5D 02 4F 9C 47
00 50 9C 47 00 52 9C 89 01 51 9C 56 01 4C 9C 15
01 A4 9C 49 00 95 9C 53 00 97 9C 49 01 96 9C 39
01 4B 9C 0B 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 1B

10.02.2015 19:58:41: NibeRS485: Sending ACK
10.02.2015 19:58:41: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:41: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:58:41: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:41: NibeRS485: Got data for id 40013: 0x022D

10.02.2015 19:58:41: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:58:41: NibeRS485: Got data for id 40147: 0x025D
10.02.2015 19:58:41: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:41: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:41: NibeRS485: Got data for id 40018: 0x0189
10.02.2015 19:58:41: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:41: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:41: NibeRS485: Got data for id 40100: 0x0049
10.02.2015 19:58:41: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:41: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:41: NibeRS485: Got data for id 40086: 0x0139
10.02.2015 19:58:41: NibeRS485: Got data for id 40011: 0x010B
10.02.2015 19:58:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:41: NibeRS485: Ignoring
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:58:41: NibeRS485: Sending ACK
10.02.2015 19:58:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:41: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:58:41: NibeRS485: Sending ACK
10.02.2015 19:58:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:42: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:42: NibeRS485: Ignoring
10.02.2015 19:58:42: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:42: NibeRS485: Sending ACK
10.02.2015 19:58:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:42: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:42: NibeRS485: Sending ACK
10.02.2015 19:58:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:42: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:42: NibeRS485: Ignoring
10.02.2015 19:58:43: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:43: NibeRS485: Ignoring
10.02.2015 19:58:43: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:43: NibeRS485: Sending ACK
10.02.2015 19:58:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:43: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:43: NibeRS485: Sending ACK
10.02.2015 19:58:43: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 19:58:43: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1E 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5F 02 4F 9C 47
00 50 9C 47 00 52 9C 89 01 51 9C 56 01 4C 9C 15
01 A4 9C 49 00 95 9C 53 00 97 9C 49 01 96 9C 38
01 4B 9C 0B 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 18

10.02.2015 19:58:43: NibeRS485: Sending ACK
10.02.2015 19:58:43: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:43: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:58:43: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:43: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:43: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:58:43: NibeRS485: Got data for id 40147: 0x025F
10.02.2015 19:58:43: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:43: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:43: NibeRS485: Got data for id 40018: 0x0189
10.02.2015 19:58:43: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:43: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:43: NibeRS485: Got data for id 40100: 0x0049
10.02.2015 19:58:43: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:43: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:43: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:43: NibeRS485: Got data for id 40011: 0x010B
10.02.2015 19:58:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:43: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:43: NibeRS485: Ignoring
10.02.2015 19:58:44: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:44: NibeRS485: Ignoring
10.02.2015 19:58:44: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:44: NibeRS485: Sending ACK
10.02.2015 19:58:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:44: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:44: NibeRS485: Sending ACK
10.02.2015 19:58:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:44: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 19:58:44: NibeRS485: Sending ACK
10.02.2015 19:58:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:44: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:44: NibeRS485: Ignoring
10.02.2015 19:58:45: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:58:45: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:45: NibeRS485: Ignoring

10.02.2015 19:58:45: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:45: NibeRS485: Sending ACK
10.02.2015 19:58:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:45: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:45: NibeRS485: Sending ACK
10.02.2015 19:58:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:45: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:45: NibeRS485: Ignoring
10.02.2015 19:58:45: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:45: TaloLoggerThreadStore: Logged data for timestamp 20150210195845
dummy: 4.4
nibeoutdoor: 3.0

10.02.2015 19:58:46: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:46: NibeRS485: Ignoring
10.02.2015 19:58:46: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:46: NibeRS485: Sending ACK
10.02.2015 19:58:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:46: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:46: NibeRS485: Sending ACK
10.02.2015 19:58:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:46: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1E 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 62 02 4F 9C 47
00 50 9C 47 00 52 9C 89 01 51 9C 56 01 4C 9C 15
01 A4 9C 49 00 95 9C 53 00 97 9C 49 01 96 9C 38
01 4B 9C 0B 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 25

10.02.2015 19:58:46: NibeRS485: Sending ACK
10.02.2015 19:58:46: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:46: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:58:46: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:46: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:46: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:58:46: NibeRS485: Got data for id 40147: 0x0262
10.02.2015 19:58:46: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:46: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:46: NibeRS485: Got data for id 40018: 0x0189
10.02.2015 19:58:46: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:46: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:46: NibeRS485: Got data for id 40100: 0x0049
10.02.2015 19:58:46: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:46: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:46: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:46: NibeRS485: Got data for id 40011: 0x010B
10.02.2015 19:58:46: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:46: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:46: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 19:58:46: NibeRS485: Ignoring
10.02.2015 19:58:47: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:47: NibeRS485: Ignoring
10.02.2015 19:58:47: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:47: NibeRS485: Sending ACK
10.02.2015 19:58:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:47: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:47: NibeRS485: Sending ACK
10.02.2015 19:58:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:47: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:47: NibeRS485: Ignoring
10.02.2015 19:58:48: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:48: NibeRS485: Ignoring
10.02.2015 19:58:48: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:48: NibeRS485: Sending ACK
10.02.2015 19:58:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:48: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:48: NibeRS485: Sending ACK
10.02.2015 19:58:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:48: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1E 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 64 02 4F 9C 47
00 50 9C 47 00 52 9C 89 01 51 9C 56 01 4C 9C 15
01 A4 9C 49 00 95 9C 53 00 97 9C 49 01 96 9C 38
01 4B 9C 0B 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 24

10.02.2015 19:58:48: NibeRS485: Sending ACK
10.02.2015 19:58:48: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:48: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:58:48: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:48: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:48: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:58:48: NibeRS485: Got data for id 40147: 0x0264
10.02.2015 19:58:48: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:48: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:48: NibeRS485: Got data for id 40018: 0x0189
10.02.2015 19:58:48: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:48: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:48: NibeRS485: Got data for id 40100: 0x0049
10.02.2015 19:58:48: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:48: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:48: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:48: NibeRS485: Got data for id 40011: 0x010B

10.02.2015 19:58:48: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:48: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:48: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:48: NibeRS485: Ignoring
10.02.2015 19:58:49: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:49: NibeRS485: Ignoring
10.02.2015 19:58:49: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:49: NibeRS485: Sending ACK
10.02.2015 19:58:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:49: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:49: NibeRS485: Sending ACK
10.02.2015 19:58:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:49: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:49: NibeRS485: Ignoring
10.02.2015 19:58:50: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:58:50: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:50: NibeRS485: Ignoring
10.02.2015 19:58:50: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:50: NibeRS485: Sending ACK
10.02.2015 19:58:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:50: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:50: NibeRS485: Sending ACK
10.02.2015 19:58:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:50: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1E 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 65 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4A 00 95 9C 53 00 97 9C 49 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 20

10.02.2015 19:58:50: NibeRS485: Sending ACK
10.02.2015 19:58:50: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:58:50: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:58:50: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:50: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:50: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:58:50: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 19:58:50: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:50: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:50: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:58:50: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:50: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:50: NibeRS485: Got data for id 40100: 0x004A

10.02.2015 19:58:50: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:50: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:50: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:50: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:58:50: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:50: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:50: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:50: NibeRS485: Ignoring
10.02.2015 19:58:50: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:50: TaloLoggerThreadStore: Logged data for timestamp 20150210195850
dummy: 4.4
nibeoutdoor: 3.0
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:51: NibeRS485: Ignoring
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:51: NibeRS485: Sending ACK
10.02.2015 19:58:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:51: NibeRS485: Sending ACK
10.02.2015 19:58:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:51: NibeRS485: Ignoring
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:58:51: NibeRS485: Sending ACK
10.02.2015 19:58:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:51: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:58:51: NibeRS485: Sending ACK
10.02.2015 19:58:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:52: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:52: NibeRS485: Ignoring
10.02.2015 19:58:52: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:52: NibeRS485: Sending ACK
10.02.2015 19:58:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:52: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:52: NibeRS485: Sending ACK
10.02.2015 19:58:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:52: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 66 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15

01 A4 9C 4A 00 95 9C 53 00 97 9C 49 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 27

10.02.2015 19:58:52: NibeRS485: Sending ACK
10.02.2015 19:58:52: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:58:52: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:58:52: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:52: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:52: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:58:52: NibeRS485: Got data for id 40147: 0x0266
10.02.2015 19:58:52: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:52: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:52: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:58:52: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:52: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:52: NibeRS485: Got data for id 40100: 0x004A
10.02.2015 19:58:52: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:52: NibeRS485: Got data for id 40087: 0x0149
10.02.2015 19:58:52: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:52: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:58:52: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:52: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:52: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:52: NibeRS485: Ignoring
10.02.2015 19:58:53: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:53: NibeRS485: Ignoring
10.02.2015 19:58:53: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:53: NibeRS485: Sending ACK
10.02.2015 19:58:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:53: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:53: NibeRS485: Sending ACK
10.02.2015 19:58:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:53: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:53: NibeRS485: Ignoring
10.02.2015 19:58:54: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:54: NibeRS485: Ignoring
10.02.2015 19:58:54: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:54: NibeRS485: Sending ACK
10.02.2015 19:58:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:54: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:54: NibeRS485: Sending ACK
10.02.2015 19:58:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:54: NibeRS485: Received:

5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 67 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 27

10.02.2015 19:58:54: NibeRS485: Sending ACK
10.02.2015 19:58:54: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:54: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:58:54: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:54: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:54: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:58:54: NibeRS485: Got data for id 40147: 0x0267
10.02.2015 19:58:54: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:54: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:54: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:58:54: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:54: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:54: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:58:54: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:54: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:58:54: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:54: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:58:54: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:54: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:54: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:54: NibeRS485: Ignoring
10.02.2015 19:58:55: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:58:55: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:55: NibeRS485: Ignoring
10.02.2015 19:58:55: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:55: NibeRS485: Sending ACK
10.02.2015 19:58:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:55: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:55: NibeRS485: Sending ACK
10.02.2015 19:58:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:55: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:55: NibeRS485: Ignoring
10.02.2015 19:58:55: TalLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:58:55: TalLoggerThreadStore: Logged data for timestamp 20150210195855
dummy: 4.4
nibeoutdoor: 3.0
10.02.2015 19:58:56: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:56: NibeRS485: Ignoring
10.02.2015 19:58:56: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:56: NibeRS485: Sending ACK
10.02.2015 19:58:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:56: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:56: NibeRS485: Sending ACK
10.02.2015 19:58:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:56: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 68 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2F

10.02.2015 19:58:56: NibeRS485: Sending ACK
10.02.2015 19:58:56: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:58:56: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:58:56: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:56: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:56: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:58:56: NibeRS485: Got data for id 40147: 0x0268
10.02.2015 19:58:56: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:56: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:56: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:58:56: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:56: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:56: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:58:56: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:56: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:58:56: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:56: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:58:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:56: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:56: NibeRS485: Ignoring
10.02.2015 19:58:57: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:57: NibeRS485: Ignoring
10.02.2015 19:58:57: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:57: NibeRS485: Sending ACK
10.02.2015 19:58:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:57: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:57: NibeRS485: Sending ACK
10.02.2015 19:58:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:57: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:57: NibeRS485: Ignoring
10.02.2015 19:58:58: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:58: NibeRS485: Ignoring

10.02.2015 19:58:58: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:58: NibeRS485: Sending ACK
10.02.2015 19:58:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:58: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:58: NibeRS485: Sending ACK
10.02.2015 19:58:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:58: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 69 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 28

10.02.2015 19:58:58: NibeRS485: Sending ACK
10.02.2015 19:58:58: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:58:58: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:58:58: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:58:58: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:58:58: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:58:58: NibeRS485: Got data for id 40147: 0x0269
10.02.2015 19:58:58: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:58:58: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:58:58: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:58:58: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:58:58: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:58:58: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:58:58: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:58:58: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:58:58: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:58:58: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:58:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:58:58: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:58: NibeRS485: Ignoring
10.02.2015 19:58:59: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:58:59: NibeRS485: Ignoring
10.02.2015 19:58:59: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:58:59: NibeRS485: Sending ACK
10.02.2015 19:58:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:59: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:58:59: NibeRS485: Sending ACK
10.02.2015 19:58:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:59: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 19:58:59: NibeRS485: Sending ACK

10.02.2015 19:58:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:58:59: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:58:59: NibeRS485: Ignoring
10.02.2015 19:59:00: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:00: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:00: NibeRS485: Ignoring
10.02.2015 19:59:00: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:00: NibeRS485: Sending ACK
10.02.2015 19:59:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:00: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:00: NibeRS485: Sending ACK
10.02.2015 19:59:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:00: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:00: NibeRS485: Ignoring
10.02.2015 19:59:00: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:00: TaloLoggerThreadStore: Logged data for timestamp 20150210195900
dummy: 4.5
nibeoutdoor: 3.1
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:01: NibeRS485: Ignoring
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:01: NibeRS485: Sending ACK
10.02.2015 19:59:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:01: NibeRS485: Sending ACK
10.02.2015 19:59:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 69 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 28

10.02.2015 19:59:01: NibeRS485: Sending ACK
10.02.2015 19:59:01: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:01: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:01: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:59:01: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:01: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:59:01: NibeRS485: Got data for id 40147: 0x0269
10.02.2015 19:59:01: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:01: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:01: NibeRS485: Got data for id 40018: 0x0188

10.02.2015 19:59:01: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:01: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:01: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:01: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:01: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:01: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:01: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:01: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:01: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:01: NibeRS485: Ignoring
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:01: NibeRS485: Sending ACK
10.02.2015 19:59:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:01: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:01: NibeRS485: Sending ACK
10.02.2015 19:59:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:02: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:02: NibeRS485: Ignoring
10.02.2015 19:59:02: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:02: NibeRS485: Sending ACK
10.02.2015 19:59:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:02: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:02: NibeRS485: Sending ACK
10.02.2015 19:59:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:02: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:02: NibeRS485: Ignoring
10.02.2015 19:59:03: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:03: NibeRS485: Ignoring
10.02.2015 19:59:03: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:03: NibeRS485: Sending ACK
10.02.2015 19:59:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:03: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:03: NibeRS485: Sending ACK
10.02.2015 19:59:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:03: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 69 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38

01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2F

10.02.2015 19:59:03: NibeRS485: Sending ACK
10.02.2015 19:59:03: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:03: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:03: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:59:03: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:03: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:03: NibeRS485: Got data for id 40147: 0x0269
10.02.2015 19:59:03: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:03: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:03: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:59:03: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:03: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:03: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:03: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:03: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:03: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:03: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:03: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:03: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:03: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:03: NibeRS485: Ignoring
10.02.2015 19:59:04: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:04: NibeRS485: Ignoring
10.02.2015 19:59:04: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:04: NibeRS485: Sending ACK
10.02.2015 19:59:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:04: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:04: NibeRS485: Sending ACK
10.02.2015 19:59:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:04: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:04: NibeRS485: Ignoring
10.02.2015 19:59:05: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:05: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:05: NibeRS485: Ignoring
10.02.2015 19:59:05: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:05: NibeRS485: Sending ACK
10.02.2015 19:59:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:05: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:05: NibeRS485: Sending ACK
10.02.2015 19:59:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:05: NibeRS485: Received:

5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 88 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2B

10.02.2015 19:59:05: NibeRS485: Sending ACK
10.02.2015 19:59:05: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:05: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:05: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:05: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:05: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:59:05: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:05: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:05: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:05: NibeRS485: Got data for id 40018: 0x0188
10.02.2015 19:59:05: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:05: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:05: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:05: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:05: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:05: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:05: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:05: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:05: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:05: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:05: NibeRS485: Ignoring
10.02.2015 19:59:05: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:05: TaloLoggerThreadStore: Logged data for timestamp 20150210195905
dummy: 4.5
nibeoutdoor: 3.1
10.02.2015 19:59:06: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:06: NibeRS485: Ignoring
10.02.2015 19:59:06: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:06: NibeRS485: Sending ACK
10.02.2015 19:59:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:06: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:06: NibeRS485: Sending ACK
10.02.2015 19:59:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:06: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:06: NibeRS485: Ignoring
10.02.2015 19:59:07: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:07: NibeRS485: Ignoring
10.02.2015 19:59:07: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:07: NibeRS485: Sending ACK

10.02.2015 19:59:07: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:07: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:07: NibeRS485: Sending ACK
10.02.2015 19:59:07: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:07: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 24

10.02.2015 19:59:07: NibeRS485: Sending ACK
10.02.2015 19:59:07: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:07: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:07: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:59:07: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:07: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:59:07: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:07: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:07: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:07: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:07: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:07: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:07: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:07: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:07: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:07: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:07: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:07: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:07: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:07: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:07: NibeRS485: Ignoring
10.02.2015 19:59:08: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:08: NibeRS485: Ignoring
10.02.2015 19:59:08: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:08: NibeRS485: Sending ACK
10.02.2015 19:59:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:08: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:08: NibeRS485: Sending ACK
10.02.2015 19:59:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:08: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:08: NibeRS485: Ignoring
10.02.2015 19:59:09: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:09: NibeRS485: Ignoring
10.02.2015 19:59:09: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 19:59:09: NibeRS485: Sending ACK
10.02.2015 19:59:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:09: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:09: NibeRS485: Sending ACK
10.02.2015 19:59:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:09: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 25

10.02.2015 19:59:09: NibeRS485: Sending ACK
10.02.2015 19:59:09: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:09: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:09: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:59:09: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:09: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:59:09: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:09: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:09: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:09: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:09: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:09: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:09: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:09: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:09: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:09: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:09: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:09: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:09: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:09: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:09: NibeRS485: Ignoring
10.02.2015 19:59:10: NibeRS485: Received:
5C 00 29 55 02 08 00 76
10.02.2015 19:59:10: NibeRS485: Running nibeBus query with id 40004

10.02.2015 19:59:10: NibeRS485: Ignoring
10.02.2015 19:59:10: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:10: NibeRS485: Sending ACK
10.02.2015 19:59:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:10: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:10: NibeRS485: Sending ACK
10.02.2015 19:59:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:10: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:10: NibeRS485: Ignoring
10.02.2015 19:59:10: TalologgerThreadStore: Storing logged data with 2 points.

10.02.2015 19:59:10: TaloLoggerThreadStore: Logged data for timestamp 20150210195910
dummy: 4.6
nibeoutdoor: 3.0
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:11: NibeRS485: Ignoring
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:11: NibeRS485: Sending ACK
10.02.2015 19:59:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:11: NibeRS485: Sending ACK
10.02.2015 19:59:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 19
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4A 00 95 9C 53 00 97 9C 48 01 96 9C 39
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 23

10.02.2015 19:59:11: NibeRS485: Sending ACK
10.02.2015 19:59:11: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:11: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:11: NibeRS485: Got data for id 40152: 0x0119
10.02.2015 19:59:11: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:11: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:11: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:11: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:11: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:11: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:11: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:11: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:11: NibeRS485: Got data for id 40100: 0x004A
10.02.2015 19:59:11: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:11: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:11: NibeRS485: Got data for id 40086: 0x0139
10.02.2015 19:59:11: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:11: NibeRS485: Ignoring
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:11: NibeRS485: Sending ACK
10.02.2015 19:59:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:11: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:11: NibeRS485: Sending ACK
10.02.2015 19:59:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:12: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:12: NibeRS485: Ignoring
10.02.2015 19:59:12: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:12: NibeRS485: Sending ACK
10.02.2015 19:59:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:12: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:12: NibeRS485: Sending ACK
10.02.2015 19:59:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:12: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:12: NibeRS485: Ignoring
10.02.2015 19:59:13: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:13: NibeRS485: Ignoring
10.02.2015 19:59:13: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:13: NibeRS485: Sending ACK
10.02.2015 19:59:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:13: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:13: NibeRS485: Sending ACK
10.02.2015 19:59:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:13: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 22

10.02.2015 19:59:13: NibeRS485: Sending ACK
10.02.2015 19:59:13: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:13: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:13: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:13: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:13: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:13: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:13: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:13: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:13: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:13: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:13: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:13: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:13: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:13: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:13: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:13: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:13: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:13: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:13: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:13: NibeRS485: Ignoring
10.02.2015 19:59:14: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:14: NibeRS485: Ignoring
10.02.2015 19:59:14: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:14: NibeRS485: Sending ACK
10.02.2015 19:59:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:14: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:14: NibeRS485: Sending ACK
10.02.2015 19:59:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:14: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 19:59:14: NibeRS485: Sending ACK
10.02.2015 19:59:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:14: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:14: NibeRS485: Ignoring
10.02.2015 19:59:15: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:15: NibeRS485: Ignoring
10.02.2015 19:59:15: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:15: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:15: NibeRS485: Sending ACK
10.02.2015 19:59:15: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:15: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:15: NibeRS485: Sending ACK
10.02.2015 19:59:15: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:15: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:15: NibeRS485: Ignoring
10.02.2015 19:59:15: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:15: TaloLoggerThreadStore: Logged data for timestamp 20150210195915
dummy: 4.6
nibeoutdoor: 3.1
10.02.2015 19:59:16: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:16: NibeRS485: Ignoring
10.02.2015 19:59:16: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:16: NibeRS485: Sending ACK
10.02.2015 19:59:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:16: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:16: NibeRS485: Sending ACK
10.02.2015 19:59:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:16: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 22

10.02.2015 19:59:16: NibeRS485: Sending ACK
10.02.2015 19:59:16: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:16: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:16: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:16: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:16: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:16: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:16: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:16: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:16: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:16: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:16: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:16: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:16: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:16: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:16: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:16: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:16: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:16: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:16: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:16: NibeRS485: Ignoring
10.02.2015 19:59:17: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:17: NibeRS485: Ignoring
10.02.2015 19:59:17: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:17: NibeRS485: Sending ACK
10.02.2015 19:59:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:17: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:17: NibeRS485: Sending ACK
10.02.2015 19:59:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:17: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:17: NibeRS485: Ignoring
10.02.2015 19:59:18: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:18: NibeRS485: Ignoring
10.02.2015 19:59:18: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:18: NibeRS485: Sending ACK
10.02.2015 19:59:18: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 19:59:18: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:18: NibeRS485: Sending ACK
10.02.2015 19:59:18: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:18: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 20

10.02.2015 19:59:18: NibeRS485: Sending ACK
10.02.2015 19:59:18: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:18: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:18: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:18: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:18: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:18: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:18: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:18: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:18: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:18: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:18: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:18: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:18: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:18: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:18: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:18: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:18: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:18: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:18: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:18: NibeRS485: Ignoring
10.02.2015 19:59:19: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:19: NibeRS485: Ignoring
10.02.2015 19:59:19: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:19: NibeRS485: Sending ACK
10.02.2015 19:59:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:19: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:19: NibeRS485: Sending ACK
10.02.2015 19:59:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:19: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:19: NibeRS485: Ignoring
10.02.2015 19:59:20: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:20: NibeRS485: Ignoring
10.02.2015 19:59:20: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:20: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 19:59:20: NibeRS485: Sending ACK
10.02.2015 19:59:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:20: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:20: NibeRS485: Sending ACK
10.02.2015 19:59:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:20: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 0A 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 23

10.02.2015 19:59:20: NibeRS485: Sending ACK
10.02.2015 19:59:20: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:20: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:20: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:20: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:20: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:20: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:20: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:20: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:20: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:20: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:20: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:20: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:20: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:20: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:20: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:20: NibeRS485: Got data for id 40011: 0x010A
10.02.2015 19:59:20: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:20: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:20: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:20: NibeRS485: Ignoring
10.02.2015 19:59:20: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:20: TaloLoggerThreadStore: Logged data for timestamp 20150210195920
dummy: 4.7
nibeoutdoor: 3.0
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:21: NibeRS485: Ignoring
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:21: NibeRS485: Sending ACK
10.02.2015 19:59:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:21: NibeRS485: Sending ACK
10.02.2015 19:59:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:21: NibeRS485: Ignoring
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:21: NibeRS485: Sending ACK
10.02.2015 19:59:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:21: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:21: NibeRS485: Sending ACK
10.02.2015 19:59:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:22: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:22: NibeRS485: Ignoring
10.02.2015 19:59:22: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:22: NibeRS485: Sending ACK
10.02.2015 19:59:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:22: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:22: NibeRS485: Sending ACK
10.02.2015 19:59:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:22: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 6A 02 4F 9C 47
00 50 9C 47 00 52 9C 87 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 48 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 21

10.02.2015 19:59:22: NibeRS485: Sending ACK
10.02.2015 19:59:22: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:22: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:22: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:22: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:22: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:22: NibeRS485: Got data for id 40147: 0x026A
10.02.2015 19:59:22: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:22: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:22: NibeRS485: Got data for id 40018: 0x0187
10.02.2015 19:59:22: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:22: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:22: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:22: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:22: NibeRS485: Got data for id 40087: 0x0148
10.02.2015 19:59:22: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:22: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:22: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:22: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:22: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:22: NibeRS485: Ignoring
10.02.2015 19:59:23: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:23: NibeRS485: Ignoring
10.02.2015 19:59:23: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:23: NibeRS485: Sending ACK
10.02.2015 19:59:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:23: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:23: NibeRS485: Sending ACK
10.02.2015 19:59:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:23: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:23: NibeRS485: Ignoring
10.02.2015 19:59:24: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:24: NibeRS485: Ignoring
10.02.2015 19:59:24: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:24: NibeRS485: Sending ACK
10.02.2015 19:59:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:24: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:24: NibeRS485: Sending ACK
10.02.2015 19:59:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:24: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 69 02 4F 9C 47
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2C

10.02.2015 19:59:24: NibeRS485: Sending ACK
10.02.2015 19:59:24: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:24: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:24: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:24: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:24: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:24: NibeRS485: Got data for id 40147: 0x0269
10.02.2015 19:59:24: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:24: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:24: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:24: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:24: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:24: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:24: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:24: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:24: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:24: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:24: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:24: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:24: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:24: NibeRS485: Ignoring

10.02.2015 19:59:25: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:25: NibeRS485: Ignoring
10.02.2015 19:59:25: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:25: NibeRS485: Sending ACK
10.02.2015 19:59:25: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:25: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:25: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:25: NibeRS485: Sending ACK
10.02.2015 19:59:25: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:25: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:25: NibeRS485: Ignoring
10.02.2015 19:59:26: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:26: TaloLoggerThreadStore: Logged data for timestamp 20150210195925
dummy: 4.7
nibeoutdoor: 3.1
10.02.2015 19:59:26: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:26: NibeRS485: Ignoring
10.02.2015 19:59:26: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:26: NibeRS485: Sending ACK
10.02.2015 19:59:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:26: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:26: NibeRS485: Sending ACK
10.02.2015 19:59:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:26: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 69 02 4F 9C 47
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 39
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2D

10.02.2015 19:59:26: NibeRS485: Sending ACK
10.02.2015 19:59:26: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:26: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:26: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:26: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:26: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:26: NibeRS485: Got data for id 40147: 0x0269
10.02.2015 19:59:26: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:26: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:26: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:26: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:26: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:26: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:26: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:26: NibeRS485: Got data for id 40087: 0x0147

10.02.2015 19:59:26: NibeRS485: Got data for id 40086: 0x0139
10.02.2015 19:59:26: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:26: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:26: NibeRS485: Ignoring
10.02.2015 19:59:27: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:27: NibeRS485: Ignoring
10.02.2015 19:59:27: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:27: NibeRS485: Sending ACK
10.02.2015 19:59:27: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:27: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:27: NibeRS485: Sending ACK
10.02.2015 19:59:27: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:27: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:27: NibeRS485: Ignoring
10.02.2015 19:59:28: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:28: NibeRS485: Ignoring
10.02.2015 19:59:28: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:28: NibeRS485: Sending ACK
10.02.2015 19:59:28: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:28: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:28: NibeRS485: Sending ACK
10.02.2015 19:59:28: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:28: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 67 02 4F 9C 47
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 22

10.02.2015 19:59:28: NibeRS485: Sending ACK
10.02.2015 19:59:28: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:28: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:28: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:28: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:28: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:28: NibeRS485: Got data for id 40147: 0x0267
10.02.2015 19:59:28: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:28: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:28: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:28: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:28: NibeRS485: Got data for id 40012: 0x0115

10.02.2015 19:59:28: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:28: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:28: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:28: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:28: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:28: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:28: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:28: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:28: NibeRS485: Ignoring
10.02.2015 19:59:29: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:29: NibeRS485: Ignoring
10.02.2015 19:59:29: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:29: NibeRS485: Sending ACK
10.02.2015 19:59:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:29: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:29: NibeRS485: Sending ACK
10.02.2015 19:59:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:29: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 19:59:29: NibeRS485: Sending ACK
10.02.2015 19:59:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:29: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:29: NibeRS485: Ignoring
10.02.2015 19:59:30: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:30: NibeRS485: Ignoring
10.02.2015 19:59:30: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:30: NibeRS485: Sending ACK
10.02.2015 19:59:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:30: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:30: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:30: NibeRS485: Sending ACK
10.02.2015 19:59:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:30: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:30: NibeRS485: Ignoring
10.02.2015 19:59:31: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:31: TaloLoggerThreadStore: Logged data for timestamp 20150210195930
dummy: 4.7
nibeoutdoor: 3.1
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:31: NibeRS485: Ignoring
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:31: NibeRS485: Sending ACK
10.02.2015 19:59:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:31: NibeRS485: Sending ACK
10.02.2015 19:59:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1E 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 64 02 4F 9C 48
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2D

10.02.2015 19:59:31: NibeRS485: Sending ACK
10.02.2015 19:59:31: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:31: NibeRS485: Got data for id 40071: 0x011E
10.02.2015 19:59:31: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:31: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:31: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:31: NibeRS485: Got data for id 40147: 0x0264
10.02.2015 19:59:31: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:31: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:31: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:31: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:31: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:31: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:31: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:31: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:31: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:31: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:31: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:31: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:31: NibeRS485: Ignoring
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:31: NibeRS485: Sending ACK
10.02.2015 19:59:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:31: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:31: NibeRS485: Sending ACK
10.02.2015 19:59:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:32: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:32: NibeRS485: Ignoring
10.02.2015 19:59:32: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:32: NibeRS485: Sending ACK
10.02.2015 19:59:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:32: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:32: NibeRS485: Sending ACK
10.02.2015 19:59:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:32: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:32: NibeRS485: Ignoring
10.02.2015 19:59:33: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:33: NibeRS485: Ignoring
10.02.2015 19:59:33: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:33: NibeRS485: Sending ACK
10.02.2015 19:59:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:33: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:33: NibeRS485: Sending ACK
10.02.2015 19:59:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:33: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 62 02 4F 9C 48
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 28

10.02.2015 19:59:33: NibeRS485: Sending ACK
10.02.2015 19:59:33: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:33: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:33: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:33: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:33: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:33: NibeRS485: Got data for id 40147: 0x0262
10.02.2015 19:59:33: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:33: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:33: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:33: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:33: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:33: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:33: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:33: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:33: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:33: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:33: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:33: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:33: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:33: NibeRS485: Ignoring
10.02.2015 19:59:34: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:34: NibeRS485: Ignoring

10.02.2015 19:59:34: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:34: NibeRS485: Sending ACK
10.02.2015 19:59:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:34: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:34: NibeRS485: Sending ACK
10.02.2015 19:59:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:34: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:34: NibeRS485: Ignoring
10.02.2015 19:59:35: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:35: NibeRS485: Ignoring
10.02.2015 19:59:35: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:35: NibeRS485: Sending ACK
10.02.2015 19:59:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:35: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:35: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:35: NibeRS485: Sending ACK
10.02.2015 19:59:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:35: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 61 02 4F 9C 47
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 25

10.02.2015 19:59:35: NibeRS485: Sending ACK
10.02.2015 19:59:35: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:35: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:35: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:35: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:35: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:35: NibeRS485: Got data for id 40147: 0x0261
10.02.2015 19:59:35: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:35: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:35: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:35: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:35: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:35: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:35: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:35: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:35: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:35: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:35: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:35: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:35: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:35: NibeRS485: Ignoring

10.02.2015 19:59:36: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:36: TaloLoggerThreadStore: Logged data for timestamp 20150210195935
dummy: 4.8
nibeoutdoor: 3.1
10.02.2015 19:59:36: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:36: NibeRS485: Ignoring
10.02.2015 19:59:36: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:36: NibeRS485: Sending ACK
10.02.2015 19:59:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:36: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:36: NibeRS485: Sending ACK
10.02.2015 19:59:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:36: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:36: NibeRS485: Ignoring
10.02.2015 19:59:37: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:37: NibeRS485: Ignoring
10.02.2015 19:59:37: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:37: NibeRS485: Sending ACK
10.02.2015 19:59:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:37: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:37: NibeRS485: Sending ACK
10.02.2015 19:59:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:37: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5F 02 4F 9C 47
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 1A

10.02.2015 19:59:37: NibeRS485: Sending ACK
10.02.2015 19:59:37: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:37: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:37: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:37: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:37: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:37: NibeRS485: Got data for id 40147: 0x025F
10.02.2015 19:59:37: NibeRS485: Got data for id 40015: 0x0047
10.02.2015 19:59:37: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:37: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:37: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:37: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:37: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:37: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:37: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:37: NibeRS485: Got data for id 40086: 0x0138

10.02.2015 19:59:37: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:37: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:37: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:37: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:37: NibeRS485: Ignoring
10.02.2015 19:59:38: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:38: NibeRS485: Ignoring
10.02.2015 19:59:38: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:38: NibeRS485: Sending ACK
10.02.2015 19:59:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:38: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:38: NibeRS485: Sending ACK
10.02.2015 19:59:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:38: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:38: NibeRS485: Ignoring
10.02.2015 19:59:39: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:39: NibeRS485: Ignoring
10.02.2015 19:59:39: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:39: NibeRS485: Sending ACK
10.02.2015 19:59:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:39: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:39: NibeRS485: Sending ACK
10.02.2015 19:59:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:39: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5E 02 4F 9C 48
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 15

10.02.2015 19:59:39: NibeRS485: Sending ACK
10.02.2015 19:59:39: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:39: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:39: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:39: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:39: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:39: NibeRS485: Got data for id 40147: 0x025E
10.02.2015 19:59:39: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:39: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:39: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:39: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:39: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:39: NibeRS485: Got data for id 40100: 0x004B

10.02.2015 19:59:39: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:39: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:39: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:39: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:39: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:39: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:39: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:39: NibeRS485: Ignoring
10.02.2015 19:59:40: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:40: NibeRS485: Ignoring
10.02.2015 19:59:40: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:40: NibeRS485: Sending ACK
10.02.2015 19:59:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:40: NibeRS485: Received:
5C 00 20 69 00 49
10.02.2015 19:59:40: NibeRS485: Running nibeBus query with id 40004

10.02.2015 19:59:40: NibeRS485: Sending ACK
10.02.2015 19:59:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:40: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:40: NibeRS485: Ignoring
10.02.2015 19:59:41: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:41: TaloLoggerThreadStore: Logged data for timestamp 20150210195940
dummy: 4.8
nibeoutdoor: 3.0
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:41: NibeRS485: Ignoring
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:41: NibeRS485: Sending ACK
10.02.2015 19:59:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:41: NibeRS485: Sending ACK
10.02.2015 19:59:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5F 02 4F 9C 48
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 15

10.02.2015 19:59:41: NibeRS485: Sending ACK
10.02.2015 19:59:41: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:41: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:41: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:41: NibeRS485: Got data for id 40013: 0x022D

10.02.2015 19:59:41: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:41: NibeRS485: Got data for id 40147: 0x025F
10.02.2015 19:59:41: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:41: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:41: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:41: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:41: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:41: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:41: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:41: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:41: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:41: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:41: NibeRS485: Ignoring
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:41: NibeRS485: Sending ACK
10.02.2015 19:59:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:41: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 19:59:41: NibeRS485: Sending ACK
10.02.2015 19:59:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:42: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:42: NibeRS485: Ignoring
10.02.2015 19:59:42: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:42: NibeRS485: Sending ACK
10.02.2015 19:59:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:42: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:42: NibeRS485: Sending ACK
10.02.2015 19:59:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:42: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:42: NibeRS485: Ignoring
10.02.2015 19:59:43: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:43: NibeRS485: Ignoring
10.02.2015 19:59:43: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:43: NibeRS485: Sending ACK
10.02.2015 19:59:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:43: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:43: NibeRS485: Sending ACK
10.02.2015 19:59:43: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 19:59:43: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 5F 02 4F 9C 48
00 50 9C 47 00 52 9C 86 01 51 9C 56 01 4C 9C 14
01 A4 9C 4B 00 95 9C 52 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 15

10.02.2015 19:59:43: NibeRS485: Sending ACK
10.02.2015 19:59:43: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:43: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:43: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:43: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:43: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:43: NibeRS485: Got data for id 40147: 0x025F
10.02.2015 19:59:43: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:43: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:43: NibeRS485: Got data for id 40018: 0x0186
10.02.2015 19:59:43: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:43: NibeRS485: Got data for id 40012: 0x0114
10.02.2015 19:59:43: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:43: NibeRS485: Got data for id 40085: 0x0052
10.02.2015 19:59:43: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:43: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:43: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:43: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:43: NibeRS485: Ignoring
10.02.2015 19:59:44: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:44: NibeRS485: Ignoring
10.02.2015 19:59:44: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:44: NibeRS485: Sending ACK
10.02.2015 19:59:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:44: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:44: NibeRS485: Sending ACK
10.02.2015 19:59:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:44: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 19:59:44: NibeRS485: Sending ACK
10.02.2015 19:59:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:44: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:44: NibeRS485: Ignoring
10.02.2015 19:59:45: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:45: NibeRS485: Ignoring
10.02.2015 19:59:45: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 19:59:45: NibeRS485: Sending ACK
10.02.2015 19:59:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:45: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:45: NibeRS485: Sending ACK
10.02.2015 19:59:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:45: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:45: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:45: NibeRS485: Ignoring
10.02.2015 19:59:46: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:46: TaloLoggerThreadStore: Logged data for timestamp 20150210195945
dummy: 4.9
nibeoutdoor: 3.1
10.02.2015 19:59:46: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:46: NibeRS485: Ignoring
10.02.2015 19:59:46: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:46: NibeRS485: Sending ACK
10.02.2015 19:59:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:46: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:46: NibeRS485: Sending ACK
10.02.2015 19:59:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:46: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 61 02 4F 9C 48
00 50 9C 47 00 52 9C 85 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 28

10.02.2015 19:59:46: NibeRS485: Sending ACK
10.02.2015 19:59:46: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:46: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:46: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:46: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:46: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:46: NibeRS485: Got data for id 40147: 0x0261
10.02.2015 19:59:46: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:46: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:46: NibeRS485: Got data for id 40018: 0x0185
10.02.2015 19:59:46: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:46: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:46: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:46: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:46: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:46: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:46: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:46: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:46: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:46: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 19:59:46: NibeRS485: Ignoring
10.02.2015 19:59:47: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:47: NibeRS485: Ignoring
10.02.2015 19:59:47: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:47: NibeRS485: Sending ACK
10.02.2015 19:59:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:47: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:47: NibeRS485: Sending ACK
10.02.2015 19:59:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:47: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:47: NibeRS485: Ignoring
10.02.2015 19:59:48: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:48: NibeRS485: Ignoring
10.02.2015 19:59:48: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:48: NibeRS485: Sending ACK
10.02.2015 19:59:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:48: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:48: NibeRS485: Sending ACK
10.02.2015 19:59:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:48: NibeRS485: Received:
5C 00 20 68 50 44 9C 1E 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 24 02 D3 9C 63 02 4F 9C 48
00 50 9C 47 00 52 9C 85 01 51 9C 56 01 4C 9C 15
01 A4 9C 4B 00 95 9C 52 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2D

10.02.2015 19:59:48: NibeRS485: Sending ACK
10.02.2015 19:59:48: NibeRS485: Got data for id 40004: 0x001E
10.02.2015 19:59:48: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:48: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:48: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:48: NibeRS485: Got data for id 40014: 0x0224
10.02.2015 19:59:48: NibeRS485: Got data for id 40147: 0x0263
10.02.2015 19:59:48: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:48: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:48: NibeRS485: Got data for id 40018: 0x0185
10.02.2015 19:59:48: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:48: NibeRS485: Got data for id 40012: 0x0115
10.02.2015 19:59:48: NibeRS485: Got data for id 40100: 0x004B
10.02.2015 19:59:48: NibeRS485: Got data for id 40085: 0x0052
10.02.2015 19:59:48: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:48: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:48: NibeRS485: Got data for id 40011: 0x0109

10.02.2015 19:59:48: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:48: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:48: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:48: NibeRS485: Ignoring
10.02.2015 19:59:49: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:49: NibeRS485: Ignoring
10.02.2015 19:59:49: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:49: NibeRS485: Sending ACK
10.02.2015 19:59:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:49: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:49: NibeRS485: Sending ACK
10.02.2015 19:59:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:49: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:49: NibeRS485: Ignoring
10.02.2015 19:59:50: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:50: NibeRS485: Ignoring
10.02.2015 19:59:50: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 19:59:50: NibeRS485: Sending ACK
10.02.2015 19:59:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:50: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 19:59:50: NibeRS485: Sending ACK
10.02.2015 19:59:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 19:59:50: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:50: NibeRS485: Received:
5C 00 20 68 50 44 9C 1F 00 87 9C 1D 01 D8 9C 18
01 4D 9C 2D 02 4E 9C 23 02 D3 9C 64 02 4F 9C 48
00 50 9C 47 00 52 9C 85 01 51 9C 56 01 4C 9C 14
01 A4 9C 4B 00 95 9C 53 00 97 9C 47 01 96 9C 38
01 4B 9C 09 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 2C

10.02.2015 19:59:50: NibeRS485: Sending ACK
10.02.2015 19:59:50: NibeRS485: Got data for id 40004: 0x001F
10.02.2015 19:59:50: NibeRS485: Got data for id 40071: 0x011D
10.02.2015 19:59:50: NibeRS485: Got data for id 40152: 0x0118
10.02.2015 19:59:50: NibeRS485: Got data for id 40013: 0x022D
10.02.2015 19:59:50: NibeRS485: Got data for id 40014: 0x0223
10.02.2015 19:59:50: NibeRS485: Got data for id 40147: 0x0264
10.02.2015 19:59:50: NibeRS485: Got data for id 40015: 0x0048
10.02.2015 19:59:50: NibeRS485: Got data for id 40016: 0x0047
10.02.2015 19:59:50: NibeRS485: Got data for id 40018: 0x0185
10.02.2015 19:59:50: NibeRS485: Got data for id 40017: 0x0156
10.02.2015 19:59:50: NibeRS485: Got data for id 40012: 0x0114
10.02.2015 19:59:50: NibeRS485: Got data for id 40100: 0x004B

10.02.2015 19:59:50: NibeRS485: Got data for id 40085: 0x0053
10.02.2015 19:59:50: NibeRS485: Got data for id 40087: 0x0147
10.02.2015 19:59:50: NibeRS485: Got data for id 40086: 0x0138
10.02.2015 19:59:50: NibeRS485: Got data for id 40011: 0x0109
10.02.2015 19:59:50: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:50: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 19:59:50: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:50: NibeRS485: Ignoring
10.02.2015 19:59:51: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:51: TaloLoggerThreadStore: Logged data for timestamp 20150210195950
dummy: 4.9
nibeoutdoor: 3.0
10.02.2015 19:59:51: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:51: NibeRS485: Ignoring
10.02.2015 19:59:51: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:51: NibeRS485: Ignoring
10.02.2015 19:59:52: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:52: NibeRS485: Ignoring
10.02.2015 19:59:52: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:52: NibeRS485: Ignoring
10.02.2015 19:59:53: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:53: NibeRS485: Ignoring
10.02.2015 19:59:53: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:53: NibeRS485: Ignoring
10.02.2015 19:59:54: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:54: NibeRS485: Ignoring
10.02.2015 19:59:54: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:54: NibeRS485: Ignoring
10.02.2015 19:59:55: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:55: NibeRS485: Ignoring
10.02.2015 19:59:55: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:55: NibeRS485: Ignoring
10.02.2015 19:59:55: NibeRS485: Running nibeBus query with id 40004
10.02.2015 19:59:56: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 19:59:56: TaloLoggerThreadStore: Logged data for timestamp 20150210195955
dummy: 5.0
nibeoutdoor: 3.1
10.02.2015 19:59:56: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 19:59:56: NibeRS485: Ignoring
10.02.2015 19:59:56: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:56: NibeRS485: Ignoring
10.02.2015 19:59:57: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:57: NibeRS485: Ignoring
10.02.2015 19:59:57: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:57: NibeRS485: Ignoring
10.02.2015 19:59:58: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:58: NibeRS485: Ignoring
10.02.2015 19:59:58: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:58: NibeRS485: Ignoring
10.02.2015 19:59:59: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 19:59:59: NibeRS485: Ignoring
10.02.2015 19:59:59: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 19:59:59: NibeRS485: Ignoring
10.02.2015 20:00:00: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:00: NibeRS485: Ignoring
10.02.2015 20:00:00: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:00: NibeRS485: Ignoring
10.02.2015 20:00:00: NibeRS485: Running nibeBus query with id 40004
10.02.2015 20:00:01: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 20:00:01: TaloLoggerThreadStore: Logged data for timestamp 20150210200000
dummy: 5.0
nibeoutdoor: 3.1
10.02.2015 20:00:01: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:01: NibeRS485: Ignoring
10.02.2015 20:00:01: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:01: NibeRS485: Ignoring
10.02.2015 20:00:02: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:02: NibeRS485: Ignoring
10.02.2015 20:00:02: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:02: NibeRS485: Ignoring

10.02.2015 20:00:03: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:03: NibeRS485: Ignoring
10.02.2015 20:00:03: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:03: NibeRS485: Ignoring
10.02.2015 20:00:04: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:04: NibeRS485: Ignoring
10.02.2015 20:00:04: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:04: NibeRS485: Ignoring
10.02.2015 20:00:05: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:05: NibeRS485: Ignoring
10.02.2015 20:00:05: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:05: NibeRS485: Ignoring
10.02.2015 20:00:05: NibeRS485: Running nibeBus query with id 40004
10.02.2015 20:00:06: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 20:00:06: TaloLoggerThreadStore: Logged data for timestamp 20150210200005
dummy: 5.0
nibeoutdoor: 3.1
10.02.2015 20:00:06: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:06: NibeRS485: Ignoring
10.02.2015 20:00:06: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:06: NibeRS485: Ignoring
10.02.2015 20:00:07: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:07: NibeRS485: Ignoring
10.02.2015 20:00:07: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:07: NibeRS485: Ignoring
10.02.2015 20:00:08: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:08: NibeRS485: Ignoring
10.02.2015 20:00:08: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:08: NibeRS485: Ignoring
10.02.2015 20:00:09: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:09: NibeRS485: Ignoring
10.02.2015 20:00:09: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:09: NibeRS485: Ignoring
10.02.2015 20:00:10: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:10: NibeRS485: Ignoring
10.02.2015 20:00:10: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:10: NibeRS485: Ignoring
10.02.2015 20:00:10: NibeRS485: Running nibeBus query with id 40004
10.02.2015 20:00:11: TaloLoggerThreadStore: Storing logged data with 2 points.
10.02.2015 20:00:11: TaloLoggerThreadStore: Logged data for timestamp 20150210200010
dummy: 5.1
nibeoutdoor: 3.1
10.02.2015 20:00:11: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:11: NibeRS485: Ignoring
10.02.2015 20:00:11: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:11: NibeRS485: Ignoring
10.02.2015 20:00:12: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:12: NibeRS485: Ignoring
10.02.2015 20:00:12: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:12: NibeRS485: Ignoring
10.02.2015 20:00:13: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:13: NibeRS485: Ignoring
10.02.2015 20:00:13: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:13: NibeRS485: Ignoring
10.02.2015 20:00:14: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:14: NibeRS485: Ignoring
10.02.2015 20:00:14: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 20:00:14: NibeRS485: Ignoring
10.02.2015 20:00:15: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 20:00:15: NibeRS485: Ignoring
10.02.2015 20:00:15: NibeRS485: Received:
5C 00 29 90 00 B9