

10.02.2015 22:24:03: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:03: NibeRS485: Sending ACK
10.02.2015 22:24:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:03: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:03: NibeRS485: No data found with id 40147
10.02.2015 22:24:03: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:03: NibeRS485: Sending ACK
10.02.2015 22:24:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:03: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:03: NibeRS485: Ignoring
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:04: NibeRS485: Ignoring
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 6A 06 D3 9C 65 02 00 00 64

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Got queried data for id 40147: 0x0265
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:04: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:04: NibeRS485: No data found with id 40083
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1E 02 D3 9C 65 02 4F 9C 5F
00 50 9C 51 00 52 9C 64 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 A4

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:04: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:04: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:04: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:04: NibeRS485: Got data for id 40014: 0x021E
10.02.2015 22:24:04: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:04: NibeRS485: Got data for id 40015: 0x005F
10.02.2015 22:24:04: NibeRS485: Got data for id 40016: 0x0051
10.02.2015 22:24:04: NibeRS485: Got data for id 40018: 0x0164
10.02.2015 22:24:04: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:04: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:04: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:04: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:04: NibeRS485: Got data for id 40087: 0x012C

10.02.2015 22:24:04: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:04: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:04: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:04: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:04: NibeRS485: Ignoring
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:04: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:04: NibeRS485: Sending ACK
10.02.2015 22:24:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:05: TaloLoggerThreadLogger: Unable to start data source query for module NIBERS485.
10.02.2015 22:24:05: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:05: NibeRS485: Ignoring
10.02.2015 22:24:05: NibeRS485: Received:
5C 00 20 6A 06 93 9C 63 00 00 00 20

10.02.2015 22:24:05: NibeRS485: Sending ACK
10.02.2015 22:24:05: NibeRS485: Got queried data for id 40083: 0x0063
10.02.2015 22:24:05: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:05: NibeRS485: Sending ACK
10.02.2015 22:24:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:05: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:05: NibeRS485: Sending ACK
10.02.2015 22:24:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:05: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:05: NibeRS485: Ignoring
10.02.2015 22:24:05: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:05: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:05: NibeRS485: No data found with id 40083
10.02.2015 22:24:06: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:06: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:06: TaloLoggerThreadStore: Logged data for timestamp 20150210222400
dummy: 14.5
nibeoutdoor:
hwsupply: 61.3
current_phase1: 9.9
10.02.2015 22:24:06: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BE1 Current Phase 1.
10.02.2015 22:24:06: NibeRS485: Received:
5C 00 29 55 02 08 00 76
10.02.2015 22:24:06: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.

10.02.2015 22:24:06: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.BT70 HW supply temp.
10.02.2015 22:24:06: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:06: TaloLoggerThreadStore: Logged data for timestamp 20150210222405
dummy: 14.5
nibeoutdoor:
hwsupply:
current_phase1:
10.02.2015 22:24:06: NibeRS485: Ignoring

10.02.2015 22:24:06: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:06: NibeRS485: Sending ACK
10.02.2015 22:24:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:06: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:06: NibeRS485: Sending ACK
10.02.2015 22:24:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:06: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 15 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1E 02 D3 9C 65 02 4F 9C 5F
00 50 9C 52 00 52 9C 64 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 A6

10.02.2015 22:24:06: NibeRS485: Sending ACK
10.02.2015 22:24:06: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:06: NibeRS485: Got data for id 40071: 0x0115
10.02.2015 22:24:06: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:06: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:06: NibeRS485: Got data for id 40014: 0x021E
10.02.2015 22:24:06: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:06: NibeRS485: Got data for id 40015: 0x005F
10.02.2015 22:24:06: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:06: NibeRS485: Got data for id 40018: 0x0164
10.02.2015 22:24:06: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:06: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:06: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:06: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:06: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:06: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:06: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:06: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:06: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:06: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:06: NibeRS485: Ignoring
10.02.2015 22:24:07: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:07: NibeRS485: Ignoring
10.02.2015 22:24:07: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:07: NibeRS485: Sending ACK
10.02.2015 22:24:07: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:07: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:07: NibeRS485: Sending ACK
10.02.2015 22:24:07: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:07: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:07: NibeRS485: Ignoring
10.02.2015 22:24:08: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:08: NibeRS485: Ignoring
10.02.2015 22:24:08: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:08: NibeRS485: Sending ACK
10.02.2015 22:24:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:08: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:08: NibeRS485: Sending ACK
10.02.2015 22:24:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:08: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1E 02 D3 9C 65 02 4F 9C 5F
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 A0

10.02.2015 22:24:08: NibeRS485: Sending ACK
10.02.2015 22:24:08: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:08: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:08: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:08: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:08: NibeRS485: Got data for id 40014: 0x021E
10.02.2015 22:24:08: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:08: NibeRS485: Got data for id 40015: 0x005F
10.02.2015 22:24:08: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:08: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:08: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:08: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:08: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:08: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:08: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:08: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:08: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:08: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:08: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:08: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:08: NibeRS485: Ignoring
10.02.2015 22:24:09: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:09: NibeRS485: Ignoring
10.02.2015 22:24:09: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:09: NibeRS485: Sending ACK
10.02.2015 22:24:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:09: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:09: NibeRS485: Sending ACK
10.02.2015 22:24:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:09: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:24:09: NibeRS485: Sending ACK
10.02.2015 22:24:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:09: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:09: NibeRS485: Ignoring
10.02.2015 22:24:10: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:10: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:10: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:10: NibeRS485: No data found with id 40083
10.02.2015 22:24:10: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:10: NibeRS485: Ignoring
10.02.2015 22:24:10: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:10: NibeRS485: Sending ACK
10.02.2015 22:24:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:10: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:10: NibeRS485: No data found with id 40083
10.02.2015 22:24:10: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:10: NibeRS485: Sending ACK
10.02.2015 22:24:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:10: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:10: NibeRS485: Ignoring
10.02.2015 22:24:11: NibeRS485: Received:
5C 00 20 6A 06 93 9C 4C 00 00 00 0F

10.02.2015 22:24:11: NibeRS485: Sending ACK
10.02.2015 22:24:11: NibeRS485: Got queried data for id 40083: 0x004C
10.02.2015 22:24:11: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:11: NibeRS485: Sending ACK
10.02.2015 22:24:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:11: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:11: NibeRS485: Sending ACK
10.02.2015 22:24:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:11: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:11: NibeRS485: No data found with id 40083
10.02.2015 22:24:11: NibeRS485: Received:

5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 5F
00 50 9C 51 00 52 9C 64 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 A6

10.02.2015 22:24:11: NibeRS485: Sending ACK
10.02.2015 22:24:11: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:11: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:11: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:11: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:11: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:11: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:11: NibeRS485: Got data for id 40015: 0x005F
10.02.2015 22:24:11: NibeRS485: Got data for id 40016: 0x0051
10.02.2015 22:24:11: NibeRS485: Got data for id 40018: 0x0164
10.02.2015 22:24:11: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:11: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:11: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:11: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:11: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:11: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:11: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:11: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:11: NibeRS485: Ignoring
10.02.2015 22:24:11: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:11: NibeRS485: Ignoring
10.02.2015 22:24:12: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:12: NibeRS485: Ignoring
10.02.2015 22:24:12: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:12: NibeRS485: Sending ACK
10.02.2015 22:24:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:12: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:12: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:12: TaloLoggerThreadStore: Logged data for timestamp 20150210222410
dummy: 14.5
nibeoutdoor:
hwsupply: 61.3
current_phase1: 7.6
10.02.2015 22:24:12: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:12: NibeRS485: Sending ACK
10.02.2015 22:24:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:12: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:12: NibeRS485: Ignoring

10.02.2015 22:24:13: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:13: NibeRS485: Ignoring
10.02.2015 22:24:13: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:13: NibeRS485: Sending ACK
10.02.2015 22:24:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:13: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:13: NibeRS485: Sending ACK
10.02.2015 22:24:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:13: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 15 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 51 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 98

10.02.2015 22:24:13: NibeRS485: Sending ACK
10.02.2015 22:24:13: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:13: NibeRS485: Got data for id 40071: 0x0115
10.02.2015 22:24:13: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:24:13: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:13: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:13: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:13: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:13: NibeRS485: Got data for id 40016: 0x0051
10.02.2015 22:24:13: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:13: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:13: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:13: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:13: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:13: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:13: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:13: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:13: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:13: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:13: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:13: NibeRS485: Ignoring
10.02.2015 22:24:14: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:14: NibeRS485: Ignoring
10.02.2015 22:24:14: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:14: NibeRS485: Sending ACK
10.02.2015 22:24:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:14: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:14: NibeRS485: Sending ACK
10.02.2015 22:24:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:14: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:24:14: NibeRS485: Ignoring

10.02.2015 22:24:14: NibeRS485: Received:

5C 00 20 EE 00 CE

10.02.2015 22:24:14: NibeRS485: Sending ACK

10.02.2015 22:24:14: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:14: NibeRS485: Received:

5C 00 20 EE 00 CE

10.02.2015 22:24:14: NibeRS485: Sending ACK

10.02.2015 22:24:14: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:15: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp

10.02.2015 22:24:15: NibeRS485: Running nibeBus query with id 40147

10.02.2015 22:24:15: NibeRS485: Running nibeBus query with id 40083

10.02.2015 22:24:15: NibeRS485: No data found with id 40083

10.02.2015 22:24:15: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 22:24:15: NibeRS485: Ignoring

10.02.2015 22:24:15: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:24:15: NibeRS485: Sending ACK

10.02.2015 22:24:15: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:15: NibeRS485: Running nibeBus query with id 40083

10.02.2015 22:24:15: NibeRS485: No data found with id 40083

10.02.2015 22:24:15: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:24:15: NibeRS485: Sending ACK

10.02.2015 22:24:15: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:15: NibeRS485: Received:

5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14

01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 5F

00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE

00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34

01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00

00 FF FF 00 00 A2

10.02.2015 22:24:15: NibeRS485: Sending ACK

10.02.2015 22:24:15: NibeRS485: Got data for id 40004: 0x0023

10.02.2015 22:24:15: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:24:15: NibeRS485: Got data for id 40152: 0x0114

10.02.2015 22:24:15: NibeRS485: Got data for id 40013: 0x022F

10.02.2015 22:24:15: NibeRS485: Got data for id 40014: 0x021C

10.02.2015 22:24:15: NibeRS485: Got data for id 40147: 0x0265

10.02.2015 22:24:15: NibeRS485: Got data for id 40015: 0x005F

10.02.2015 22:24:15: NibeRS485: Got data for id 40016: 0x0052

10.02.2015 22:24:15: NibeRS485: Got data for id 40018: 0x0163

10.02.2015 22:24:15: NibeRS485: Got data for id 40017: 0x0142

10.02.2015 22:24:15: NibeRS485: Got data for id 40012: 0x00FE

10.02.2015 22:24:15: NibeRS485: Got data for id 40100: 0x0057

10.02.2015 22:24:15: NibeRS485: Got data for id 40085: 0x004F

10.02.2015 22:24:15: NibeRS485: Got data for id 40087: 0x012C

10.02.2015 22:24:15: NibeRS485: Got data for id 40086: 0x0134

10.02.2015 22:24:15: NibeRS485: Got data for id 40011: 0x00FF

10.02.2015 22:24:15: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:24:15: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:24:15: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:15: NibeRS485: Ignoring
10.02.2015 22:24:16: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:16: NibeRS485: Ignoring
10.02.2015 22:24:16: NibeRS485: Received:
5C 00 20 6A 06 93 9C 64 00 00 00 27

10.02.2015 22:24:16: NibeRS485: Sending ACK
10.02.2015 22:24:16: NibeRS485: Got queried data for id 40083: 0x0064
10.02.2015 22:24:16: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:16: NibeRS485: Sending ACK
10.02.2015 22:24:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:16: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:16: NibeRS485: Sending ACK
10.02.2015 22:24:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:16: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:16: NibeRS485: Ignoring
10.02.2015 22:24:16: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:16: NibeRS485: No data found with id 40083
10.02.2015 22:24:17: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:17: NibeRS485: Ignoring
10.02.2015 22:24:17: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:17: NibeRS485: Sending ACK
10.02.2015 22:24:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:17: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:17: TaloLoggerThreadStore: Received none or unknown data for command
NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:17: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:17: TaloLoggerThreadStore: Logged data for timestamp 20150210222415
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 10.0

10.02.2015 22:24:17: NibeRS485: Sending ACK
10.02.2015 22:24:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:17: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 5F
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 A5

10.02.2015 22:24:17: NibeRS485: Sending ACK

10.02.2015 22:24:17: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:17: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:17: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:24:17: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:17: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:17: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:17: NibeRS485: Got data for id 40015: 0x005F
10.02.2015 22:24:17: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:17: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:17: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:17: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:17: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:17: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:17: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:17: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:17: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:17: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:17: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:17: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:17: NibeRS485: Ignoring
10.02.2015 22:24:18: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:18: NibeRS485: Ignoring
10.02.2015 22:24:18: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:18: NibeRS485: Sending ACK
10.02.2015 22:24:18: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:18: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:18: NibeRS485: Sending ACK
10.02.2015 22:24:18: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:18: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:18: NibeRS485: Ignoring
10.02.2015 22:24:19: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:19: NibeRS485: Ignoring
10.02.2015 22:24:19: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:19: NibeRS485: Sending ACK
10.02.2015 22:24:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:19: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:19: NibeRS485: Sending ACK
10.02.2015 22:24:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:19: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00

00 FF FF 00 00 9D

```
10.02.2015 22:24:19: NibeRS485: Sending ACK
10.02.2015 22:24:19: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:19: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:19: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:19: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:19: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:19: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:19: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:19: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:19: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:19: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:19: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:19: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:19: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:19: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:19: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:19: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:19: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:19: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:19: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:19: NibeRS485: Ignoring
10.02.2015 22:24:20: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:20: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:20: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:20: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:20: NibeRS485: Ignoring
10.02.2015 22:24:20: NibeRS485: No data found with id 40083
10.02.2015 22:24:20: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:20: NibeRS485: Sending ACK
10.02.2015 22:24:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:20: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:20: NibeRS485: No data found with id 40083
10.02.2015 22:24:20: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:20: NibeRS485: Sending ACK
10.02.2015 22:24:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:20: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:20: NibeRS485: Ignoring
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:21: NibeRS485: Sending ACK
10.02.2015 22:24:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:21: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:21: NibeRS485: No data found with id 40083
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:21: NibeRS485: Sending ACK
```

10.02.2015 22:24:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:21: NibeRS485: Sending ACK
10.02.2015 22:24:21: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:21: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:21: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:21: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:21: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:21: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:21: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:21: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:21: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:21: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:21: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:21: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:21: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:21: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:21: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:21: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:21: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:21: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:21: NibeRS485: Ignoring
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:21: NibeRS485: Ignoring
10.02.2015 22:24:21: NibeRS485: Received:
5C 00 20 6A 06 93 9C 61 00 00 00 22

10.02.2015 22:24:21: NibeRS485: Sending ACK
10.02.2015 22:24:21: NibeRS485: Got queried data for id 40083: 0x0061
10.02.2015 22:24:21: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:21: NibeRS485: No data found with id 40083
10.02.2015 22:24:22: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:22: NibeRS485: Ignoring
10.02.2015 22:24:22: NibeRS485: Received:
5C 00 20 6A 06 93 9C 72 00 00 00 31

10.02.2015 22:24:22: NibeRS485: Sending ACK
10.02.2015 22:24:22: NibeRS485: ERROR: Received unqueried or cancelled query data with 0x6A frame.
10.02.2015 22:24:22: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:22: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:22: TaloLoggerThreadStore: Logged data for timestamp 20150210222420
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3

current_phase1: 9.7
10.02.2015 22:24:22: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:22: NibeRS485: Sending ACK
10.02.2015 22:24:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:22: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:22: NibeRS485: Sending ACK
10.02.2015 22:24:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:22: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:22: NibeRS485: Ignoring
10.02.2015 22:24:23: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:23: NibeRS485: Ignoring
10.02.2015 22:24:23: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:23: NibeRS485: Sending ACK
10.02.2015 22:24:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:23: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:23: NibeRS485: Sending ACK
10.02.2015 22:24:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:23: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9C

10.02.2015 22:24:23: NibeRS485: Sending ACK
10.02.2015 22:24:23: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:23: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:23: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:23: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:23: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:23: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:23: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:23: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:23: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:23: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:23: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:24:23: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:23: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:23: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:23: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:23: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:23: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:23: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:23: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:23: NibeRS485: Ignoring

10.02.2015 22:24:24: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:24: NibeRS485: Ignoring
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:24: NibeRS485: Sending ACK
10.02.2015 22:24:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:24: NibeRS485: Sending ACK
10.02.2015 22:24:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:24:24: NibeRS485: Sending ACK
10.02.2015 22:24:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:24: NibeRS485: Ignoring
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:24: NibeRS485: Sending ACK
10.02.2015 22:24:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:24: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:24: NibeRS485: Sending ACK
10.02.2015 22:24:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:25: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:25: NibeRS485: Ignoring
10.02.2015 22:24:25: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:25: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:25: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:25: NibeRS485: No data found with id 40083
10.02.2015 22:24:25: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:25: NibeRS485: Sending ACK
10.02.2015 22:24:25: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:25: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:25: NibeRS485: No data found with id 40083
10.02.2015 22:24:25: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:25: NibeRS485: Sending ACK
10.02.2015 22:24:25: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:25: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:25: NibeRS485: Ignoring
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:26: NibeRS485: Ignoring
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 20 6A 06 93 9C 5A 00 00 00 19

10.02.2015 22:24:26: NibeRS485: Sending ACK
10.02.2015 22:24:26: NibeRS485: Got queried data for id 40083: 0x005A
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:26: NibeRS485: Sending ACK
10.02.2015 22:24:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:26: NibeRS485: Sending ACK
10.02.2015 22:24:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:26: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:26: NibeRS485: No data found with id 40083
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 64 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9C

10.02.2015 22:24:26: NibeRS485: Sending ACK
10.02.2015 22:24:26: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:26: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:26: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:26: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:26: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:26: NibeRS485: Got data for id 40147: 0x0264
10.02.2015 22:24:26: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:26: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:26: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:26: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:26: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:26: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:26: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:26: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:26: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:26: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:26: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:26: NibeRS485: Ignoring
10.02.2015 22:24:27: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:27: NibeRS485: Ignoring
10.02.2015 22:24:27: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:27: NibeRS485: Sending ACK
10.02.2015 22:24:27: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:27: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:24:27: NibeRS485: Sending ACK

10.02.2015 22:24:27: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:27: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:24:27: NibeRS485: Ignoring

10.02.2015 22:24:27: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.

10.02.2015 22:24:27: TaloLoggerThreadStore: Storing logged data with 4 points.

10.02.2015 22:24:27: TaloLoggerThreadStore: Logged data for timestamp 20150210222425

dummy: 14.6

nibeoutdoor:

hwsupply: 61.3

current_phase1: 9.0

10.02.2015 22:24:28: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 22:24:28: NibeRS485: Ignoring

10.02.2015 22:24:28: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:24:28: NibeRS485: Sending ACK

10.02.2015 22:24:28: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:28: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:24:28: NibeRS485: Sending ACK

10.02.2015 22:24:28: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:28: NibeRS485: Received:

5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13

01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60

00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE

00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34

01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00

00 FF FF 00 00 9A

10.02.2015 22:24:28: NibeRS485: Sending ACK

10.02.2015 22:24:28: NibeRS485: Got data for id 40004: 0x0023

10.02.2015 22:24:28: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:24:28: NibeRS485: Got data for id 40152: 0x0113

10.02.2015 22:24:28: NibeRS485: Got data for id 40013: 0x022F

10.02.2015 22:24:28: NibeRS485: Got data for id 40014: 0x021C

10.02.2015 22:24:28: NibeRS485: Got data for id 40147: 0x0265

10.02.2015 22:24:28: NibeRS485: Got data for id 40015: 0x0060

10.02.2015 22:24:28: NibeRS485: Got data for id 40016: 0x0052

10.02.2015 22:24:28: NibeRS485: Got data for id 40018: 0x0163

10.02.2015 22:24:28: NibeRS485: Got data for id 40017: 0x0142

10.02.2015 22:24:28: NibeRS485: Got data for id 40012: 0x00FE

10.02.2015 22:24:28: NibeRS485: Got data for id 40100: 0x0057

10.02.2015 22:24:28: NibeRS485: Got data for id 40085: 0x004F

10.02.2015 22:24:28: NibeRS485: Got data for id 40087: 0x012C

10.02.2015 22:24:28: NibeRS485: Got data for id 40086: 0x0134

10.02.2015 22:24:28: NibeRS485: Got data for id 40011: 0x00FF

10.02.2015 22:24:28: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:24:28: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:24:28: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:24:28: NibeRS485: Ignoring
10.02.2015 22:24:29: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:29: NibeRS485: Ignoring
10.02.2015 22:24:29: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:29: NibeRS485: Sending ACK
10.02.2015 22:24:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:29: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:29: NibeRS485: Sending ACK
10.02.2015 22:24:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:29: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:29: NibeRS485: Ignoring
10.02.2015 22:24:30: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:30: NibeRS485: Ignoring
10.02.2015 22:24:30: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:30: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:30: NibeRS485: Received:
5C 00 20 6B 00 4B
10.02.2015 22:24:30: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:30: NibeRS485: No data found with id 40083

10.02.2015 22:24:30: NibeRS485: Sending ACK
10.02.2015 22:24:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:30: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:30: NibeRS485: No data found with id 40083
10.02.2015 22:24:30: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:30: NibeRS485: Sending ACK
10.02.2015 22:24:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:30: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:30: NibeRS485: Sending ACK
10.02.2015 22:24:30: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:30: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:30: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:30: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:30: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:30: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:30: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:30: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:30: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:30: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:30: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:30: NibeRS485: Got data for id 40100: 0x0057

10.02.2015 22:24:30: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:30: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:30: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:30: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:30: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:30: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:30: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:30: NibeRS485: Ignoring
10.02.2015 22:24:31: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:31: NibeRS485: Ignoring
10.02.2015 22:24:31: NibeRS485: Received:
5C 00 20 6A 06 93 9C 57 00 00 00 14

10.02.2015 22:24:31: NibeRS485: Sending ACK
10.02.2015 22:24:31: NibeRS485: Got queried data for id 40083: 0x0057
10.02.2015 22:24:31: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:31: NibeRS485: No data found with id 40083
10.02.2015 22:24:31: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:31: NibeRS485: Sending ACK
10.02.2015 22:24:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:31: TalLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:31: TalLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:31: TalLoggerThreadStore: Logged data for timestamp 20150210222430
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 8.7
10.02.2015 22:24:31: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:31: NibeRS485: Sending ACK
10.02.2015 22:24:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:31: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:31: NibeRS485: Ignoring
10.02.2015 22:24:32: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:32: NibeRS485: Ignoring
10.02.2015 22:24:32: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:32: NibeRS485: Sending ACK
10.02.2015 22:24:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:32: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:32: NibeRS485: Sending ACK
10.02.2015 22:24:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:32: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60

00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:32: NibeRS485: Sending ACK
10.02.2015 22:24:32: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:32: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:32: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:32: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:32: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:32: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:32: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:32: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:32: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:32: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:32: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:32: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:32: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:32: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:32: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:32: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:32: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:32: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:32: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:32: NibeRS485: Ignoring
10.02.2015 22:24:33: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:33: NibeRS485: Ignoring
10.02.2015 22:24:33: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:33: NibeRS485: Sending ACK
10.02.2015 22:24:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:33: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:33: NibeRS485: Sending ACK
10.02.2015 22:24:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:33: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:33: NibeRS485: Ignoring
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:34: NibeRS485: Ignoring
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:34: NibeRS485: Sending ACK
10.02.2015 22:24:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:34: NibeRS485: Sending ACK
10.02.2015 22:24:34: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:34: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:34: NibeRS485: Sending ACK
10.02.2015 22:24:34: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:34: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:34: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:34: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:34: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:34: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:34: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:34: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:34: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:34: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:34: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:34: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:34: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:34: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:34: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:34: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:34: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:34: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:34: NibeRS485: Ignoring
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:34: NibeRS485: Sending ACK
10.02.2015 22:24:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:34: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:34: NibeRS485: Sending ACK
10.02.2015 22:24:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:35: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:35: NibeRS485: Ignoring
10.02.2015 22:24:35: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:35: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:35: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:35: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:35: NibeRS485: Sending ACK
10.02.2015 22:24:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:35: NibeRS485: No data found with id 40083
10.02.2015 22:24:35: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:35: NibeRS485: No data found with id 40083
10.02.2015 22:24:35: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:35: NibeRS485: Sending ACK

10.02.2015 22:24:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:35: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:35: NibeRS485: Ignoring
10.02.2015 22:24:36: NibeRS485: Received:
5C 00 20 6A 06 93 9C 32 00 00 00 71

10.02.2015 22:24:36: NibeRS485: Sending ACK
10.02.2015 22:24:36: NibeRS485: Got queried data for id 40083: 0x0032
10.02.2015 22:24:36: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:36: NibeRS485: Sending ACK
10.02.2015 22:24:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:36: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:36: NibeRS485: No data found with id 40083
10.02.2015 22:24:36: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:36: NibeRS485: Sending ACK
10.02.2015 22:24:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:36: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:36: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:36: TaloLoggerThreadStore: Logged data for timestamp 20150210222435
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.0

10.02.2015 22:24:36: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:36: NibeRS485: Sending ACK
10.02.2015 22:24:36: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:36: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:36: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:36: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:36: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:36: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:36: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:36: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:36: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:36: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:36: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:36: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:36: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:36: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:36: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:36: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:36: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:36: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:36: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:36: NibeRS485: Ignoring
10.02.2015 22:24:36: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:36: NibeRS485: Ignoring
10.02.2015 22:24:37: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:37: NibeRS485: Ignoring
10.02.2015 22:24:37: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:37: NibeRS485: Sending ACK
10.02.2015 22:24:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:37: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:37: NibeRS485: Sending ACK
10.02.2015 22:24:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:37: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:37: NibeRS485: Ignoring
10.02.2015 22:24:38: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:38: NibeRS485: Ignoring
10.02.2015 22:24:38: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:38: NibeRS485: Sending ACK
10.02.2015 22:24:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:38: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:38: NibeRS485: Sending ACK
10.02.2015 22:24:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:38: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1C 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9C

10.02.2015 22:24:38: NibeRS485: Sending ACK
10.02.2015 22:24:38: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:38: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:38: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:38: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:38: NibeRS485: Got data for id 40014: 0x021C
10.02.2015 22:24:38: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:38: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:38: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:38: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:38: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:38: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:24:38: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:38: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:38: NibeRS485: Got data for id 40087: 0x012C

10.02.2015 22:24:38: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:38: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:38: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:38: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:38: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:38: NibeRS485: Ignoring
10.02.2015 22:24:39: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:39: NibeRS485: Ignoring
10.02.2015 22:24:39: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:39: NibeRS485: Sending ACK
10.02.2015 22:24:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:39: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:39: NibeRS485: Sending ACK
10.02.2015 22:24:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:39: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:24:39: NibeRS485: Sending ACK
10.02.2015 22:24:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:39: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:39: NibeRS485: Ignoring
10.02.2015 22:24:40: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:40: NibeRS485: Ignoring
10.02.2015 22:24:40: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:40: NibeRS485: Sending ACK
10.02.2015 22:24:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:40: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:40: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:40: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:40: NibeRS485: No data found with id 40083
10.02.2015 22:24:40: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:40: NibeRS485: No data found with id 40083
10.02.2015 22:24:40: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:40: NibeRS485: Sending ACK
10.02.2015 22:24:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:40: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:40: NibeRS485: Ignoring
10.02.2015 22:24:41: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:41: NibeRS485: Ignoring

10.02.2015 22:24:41: NibeRS485: Received:
5C 00 20 6A 06 93 9C 39 00 00 00 7A

10.02.2015 22:24:41: NibeRS485: Sending ACK
10.02.2015 22:24:41: NibeRS485: Got queried data for id 40083: 0x0039
10.02.2015 22:24:41: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:41: NibeRS485: No data found with id 40083
10.02.2015 22:24:41: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:41: NibeRS485: Sending ACK
10.02.2015 22:24:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:41: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:41: NibeRS485: Sending ACK
10.02.2015 22:24:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:41: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:41: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:41: TaloLoggerThreadStore: Logged data for timestamp 20150210222440
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.7

10.02.2015 22:24:41: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9B

10.02.2015 22:24:41: NibeRS485: Sending ACK
10.02.2015 22:24:41: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:41: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:41: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:41: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:41: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:41: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:41: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:41: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:41: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:41: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:41: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:24:41: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:41: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:41: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:41: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:41: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:41: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:41: NibeRS485: Ignoring
10.02.2015 22:24:42: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:42: NibeRS485: Ignoring

10.02.2015 22:24:42: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:42: NibeRS485: Sending ACK
10.02.2015 22:24:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:42: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:42: NibeRS485: Sending ACK
10.02.2015 22:24:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:42: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:42: NibeRS485: Ignoring
10.02.2015 22:24:43: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:43: NibeRS485: Ignoring
10.02.2015 22:24:43: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:43: NibeRS485: Sending ACK
10.02.2015 22:24:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:43: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:43: NibeRS485: Sending ACK
10.02.2015 22:24:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:43: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:43: NibeRS485: Sending ACK
10.02.2015 22:24:43: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:43: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:43: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:24:43: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:43: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:43: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:43: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:43: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:43: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:43: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:43: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:43: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:43: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:43: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:43: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:43: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:43: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:43: NibeRS485: Ignoring
10.02.2015 22:24:44: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 22:24:44: NibeRS485: Ignoring

10.02.2015 22:24:44: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:24:44: NibeRS485: Sending ACK

10.02.2015 22:24:44: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:44: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:24:44: NibeRS485: Sending ACK

10.02.2015 22:24:44: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:44: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:24:44: NibeRS485: Ignoring

10.02.2015 22:24:44: NibeRS485: Received:

5C 00 20 EE 00 CE

10.02.2015 22:24:44: NibeRS485: Sending ACK

10.02.2015 22:24:44: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:44: NibeRS485: Received:

5C 00 20 EE 00 CE

10.02.2015 22:24:44: NibeRS485: Sending ACK

10.02.2015 22:24:44: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:45: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 22:24:45: NibeRS485: Ignoring

10.02.2015 22:24:45: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:24:45: NibeRS485: Sending ACK

10.02.2015 22:24:45: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:45: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp

10.02.2015 22:24:45: NibeRS485: Running nibeBus query with id 40147

10.02.2015 22:24:45: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:24:45: NibeRS485: Running nibeBus query with id 40083

10.02.2015 22:24:45: NibeRS485: Sending ACK

10.02.2015 22:24:45: NibeRS485: No data found with id 40083

10.02.2015 22:24:45: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:45: NibeRS485: Received:

5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13

01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60

00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE

00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34

01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00

00 FF FF 00 00 9D

10.02.2015 22:24:45: NibeRS485: Sending ACK

10.02.2015 22:24:45: NibeRS485: Got data for id 40004: 0x0023

10.02.2015 22:24:45: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:24:45: NibeRS485: Got data for id 40152: 0x0113

10.02.2015 22:24:45: NibeRS485: Got data for id 40013: 0x022F

10.02.2015 22:24:45: NibeRS485: Got data for id 40014: 0x021B

10.02.2015 22:24:45: NibeRS485: Got data for id 40147: 0x0265

10.02.2015 22:24:45: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:45: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:45: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:45: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:45: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:45: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:45: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:45: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:45: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:45: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:45: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:45: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:45: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:45: NibeRS485: Ignoring
10.02.2015 22:24:46: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:46: NibeRS485: Ignoring
10.02.2015 22:24:46: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:46: NibeRS485: Sending ACK
10.02.2015 22:24:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:46: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:46: NibeRS485: No data found with id 40083
10.02.2015 22:24:46: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:46: NibeRS485: Sending ACK
10.02.2015 22:24:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:46: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:46: NibeRS485: Ignoring
10.02.2015 22:24:47: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:47: NibeRS485: Ignoring
10.02.2015 22:24:47: NibeRS485: Received:
5C 00 20 6A 06 93 9C 3B 00 00 00 78

10.02.2015 22:24:47: NibeRS485: Sending ACK
10.02.2015 22:24:47: NibeRS485: Got queried data for id 40083: 0x003B
10.02.2015 22:24:47: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:47: NibeRS485: Sending ACK
10.02.2015 22:24:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:47: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:47: NibeRS485: No data found with id 40083
10.02.2015 22:24:47: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:47: NibeRS485: Sending ACK
10.02.2015 22:24:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:47: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:47: TaloLoggerThreadStore: Storing logged data with 4 points.

10.02.2015 22:24:47: TaloLoggerThreadStore: Logged data for timestamp 20150210222445
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.9

10.02.2015 22:24:47: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9B

10.02.2015 22:24:47: NibeRS485: Sending ACK

10.02.2015 22:24:47: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:47: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:47: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:47: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:47: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:47: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:47: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:47: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:47: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:47: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:47: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:24:47: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:47: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:47: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:47: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:47: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:47: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:47: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:24:47: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:47: NibeRS485: Ignoring

10.02.2015 22:24:48: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:48: NibeRS485: Ignoring

10.02.2015 22:24:48: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:48: NibeRS485: Sending ACK

10.02.2015 22:24:48: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:48: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:48: NibeRS485: Sending ACK

10.02.2015 22:24:48: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:24:48: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:48: NibeRS485: Ignoring

10.02.2015 22:24:49: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:49: NibeRS485: Ignoring

10.02.2015 22:24:49: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:49: NibeRS485: Sending ACK
10.02.2015 22:24:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:49: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:49: NibeRS485: Sending ACK
10.02.2015 22:24:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:49: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9A

10.02.2015 22:24:49: NibeRS485: Sending ACK
10.02.2015 22:24:49: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:49: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:49: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:49: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:49: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:49: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:49: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:49: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:49: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:49: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:49: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:49: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:49: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:49: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:49: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:49: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:49: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:49: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:49: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:49: NibeRS485: Ignoring
10.02.2015 22:24:50: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:50: NibeRS485: Ignoring
10.02.2015 22:24:50: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:50: NibeRS485: Sending ACK
10.02.2015 22:24:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:50: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:50: NibeRS485: Sending ACK
10.02.2015 22:24:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:50: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:50: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:50: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:50: NibeRS485: No data found with id 40083
10.02.2015 22:24:50: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:50: NibeRS485: Ignoring
10.02.2015 22:24:51: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:51: NibeRS485: Ignoring
10.02.2015 22:24:51: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:51: NibeRS485: Sending ACK
10.02.2015 22:24:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:51: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:51: NibeRS485: No data found with id 40083
10.02.2015 22:24:51: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:51: NibeRS485: Sending ACK
10.02.2015 22:24:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:51: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9A

10.02.2015 22:24:51: NibeRS485: Sending ACK
10.02.2015 22:24:51: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:51: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:51: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:51: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:51: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:51: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:51: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:51: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:51: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:51: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:51: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:51: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:51: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:51: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:51: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:51: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:51: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:51: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:51: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:51: NibeRS485: Ignoring
10.02.2015 22:24:52: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:52: NibeRS485: Ignoring
10.02.2015 22:24:52: NibeRS485: Received:
5C 00 20 6A 06 93 9C 35 00 00 00 76

10.02.2015 22:24:52: NibeRS485: Sending ACK
10.02.2015 22:24:52: NibeRS485: Got queried data for id 40083: 0x0035
10.02.2015 22:24:52: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:52: NibeRS485: Sending ACK
10.02.2015 22:24:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:52: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:52: NibeRS485: No data found with id 40083
10.02.2015 22:24:52: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:52: NibeRS485: Sending ACK
10.02.2015 22:24:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:52: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:52: NibeRS485: Ignoring
10.02.2015 22:24:52: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:52: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:52: TaloLoggerThreadStore: Logged data for timestamp 20150210222450
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.3
10.02.2015 22:24:53: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:53: NibeRS485: Ignoring
10.02.2015 22:24:53: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:53: NibeRS485: Sending ACK
10.02.2015 22:24:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:53: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:53: NibeRS485: Sending ACK
10.02.2015 22:24:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:53: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9D

10.02.2015 22:24:53: NibeRS485: Sending ACK
10.02.2015 22:24:53: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:53: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:53: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:24:53: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:53: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:53: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:53: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:53: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:53: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:53: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:53: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:53: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:53: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:53: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:53: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:53: NibeRS485: Got data for id 40011: 0x00FF

10.02.2015 22:24:53: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:53: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:53: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:53: NibeRS485: Ignoring
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:54: NibeRS485: Ignoring
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:54: NibeRS485: Sending ACK
10.02.2015 22:24:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:54: NibeRS485: Sending ACK
10.02.2015 22:24:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:24:54: NibeRS485: Sending ACK
10.02.2015 22:24:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:54: NibeRS485: Ignoring
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:54: NibeRS485: Sending ACK
10.02.2015 22:24:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:54: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:24:54: NibeRS485: Sending ACK
10.02.2015 22:24:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:55: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:55: NibeRS485: Ignoring
10.02.2015 22:24:55: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:55: NibeRS485: Sending ACK
10.02.2015 22:24:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:55: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:24:55: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:55: NibeRS485: Sending ACK
10.02.2015 22:24:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:55: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:24:55: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:55: NibeRS485: No data found with id 40083
10.02.2015 22:24:55: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:55: NibeRS485: Ignoring
10.02.2015 22:24:56: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:56: NibeRS485: Ignoring
10.02.2015 22:24:56: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:56: NibeRS485: Sending ACK
10.02.2015 22:24:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:56: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:56: NibeRS485: No data found with id 40083
10.02.2015 22:24:56: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:56: NibeRS485: Sending ACK
10.02.2015 22:24:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:56: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9C

10.02.2015 22:24:56: NibeRS485: Sending ACK
10.02.2015 22:24:56: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:56: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:56: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:24:56: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:56: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:56: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:56: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:56: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:56: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:56: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:56: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:24:56: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:56: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:56: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:56: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:24:56: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:56: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:56: NibeRS485: Ignoring
10.02.2015 22:24:57: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:57: NibeRS485: Ignoring
10.02.2015 22:24:57: NibeRS485: Received:
5C 00 20 6A 06 93 9C 4E 00 00 00 0D

10.02.2015 22:24:57: NibeRS485: Sending ACK
10.02.2015 22:24:57: NibeRS485: Got queried data for id 40083: 0x004E
10.02.2015 22:24:57: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:57: NibeRS485: Sending ACK
10.02.2015 22:24:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:57: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:24:57: NibeRS485: No data found with id 40083
10.02.2015 22:24:57: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:57: NibeRS485: Sending ACK
10.02.2015 22:24:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:57: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:57: NibeRS485: Ignoring
10.02.2015 22:24:57: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:24:57: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:24:57: TaloLoggerThreadStore: Logged data for timestamp 20150210222455
dummy: 14.6
nibeoutdoor:
hwsupply: 61.3
current_phase1: 7.8
10.02.2015 22:24:58: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:58: NibeRS485: Ignoring
10.02.2015 22:24:58: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:58: NibeRS485: Sending ACK
10.02.2015 22:24:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:58: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:58: NibeRS485: Sending ACK
10.02.2015 22:24:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:58: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9A

10.02.2015 22:24:58: NibeRS485: Sending ACK
10.02.2015 22:24:58: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:24:58: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:24:58: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:24:58: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:24:58: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:24:58: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:24:58: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:24:58: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:24:58: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:24:58: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:24:58: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:24:58: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:24:58: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:24:58: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:24:58: NibeRS485: Got data for id 40086: 0x0134

10.02.2015 22:24:58: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:24:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:24:58: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:58: NibeRS485: Ignoring
10.02.2015 22:24:59: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:24:59: NibeRS485: Ignoring
10.02.2015 22:24:59: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:24:59: NibeRS485: Sending ACK
10.02.2015 22:24:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:59: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:24:59: NibeRS485: Sending ACK
10.02.2015 22:24:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:24:59: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:24:59: NibeRS485: Ignoring
10.02.2015 22:25:00: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:00: NibeRS485: Ignoring
10.02.2015 22:25:00: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:00: NibeRS485: Sending ACK
10.02.2015 22:25:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:00: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:00: NibeRS485: Sending ACK
10.02.2015 22:25:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:00: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:00: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:00: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:00: NibeRS485: No data found with id 40083
10.02.2015 22:25:00: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9C

10.02.2015 22:25:00: NibeRS485: Sending ACK
10.02.2015 22:25:00: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:00: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:00: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:00: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:00: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:25:00: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:00: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:00: NibeRS485: Got data for id 40016: 0x0052

10.02.2015 22:25:00: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:25:00: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:00: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:00: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:25:00: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:00: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:00: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:00: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:00: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:00: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:00: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:00: NibeRS485: Ignoring
10.02.2015 22:25:01: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:01: NibeRS485: Ignoring
10.02.2015 22:25:01: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:01: NibeRS485: Sending ACK
10.02.2015 22:25:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:01: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:01: NibeRS485: No data found with id 40083
10.02.2015 22:25:01: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:01: NibeRS485: Sending ACK
10.02.2015 22:25:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:01: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:01: NibeRS485: Ignoring
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:02: NibeRS485: Ignoring
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 20 6A 06 93 9C 3A 00 00 00 79

10.02.2015 22:25:02: NibeRS485: Sending ACK
10.02.2015 22:25:02: NibeRS485: Got queried data for id 40083: 0x003A
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:02: NibeRS485: Sending ACK
10.02.2015 22:25:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:02: NibeRS485: Sending ACK
10.02.2015 22:25:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:02: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:02: NibeRS485: No data found with id 40083
10.02.2015 22:25:02: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:02: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:02: TaloLoggerThreadStore: Logged data for timestamp 20150210222500
dummy: 14.7

nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.8
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 57 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9B

10.02.2015 22:25:02: NibeRS485: Sending ACK
10.02.2015 22:25:02: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:02: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:02: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:02: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:02: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:25:02: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:02: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:02: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:02: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:25:02: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:02: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:02: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:25:02: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:02: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:02: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:02: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:02: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:02: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:02: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:02: NibeRS485: Ignoring
10.02.2015 22:25:03: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:03: NibeRS485: Ignoring
10.02.2015 22:25:03: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:03: NibeRS485: Sending ACK
10.02.2015 22:25:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:03: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:03: NibeRS485: Sending ACK
10.02.2015 22:25:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:03: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:03: NibeRS485: Ignoring
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:04: NibeRS485: Ignoring
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:04: NibeRS485: Sending ACK

10.02.2015 22:25:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:04: NibeRS485: Sending ACK
10.02.2015 22:25:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 58 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:04: NibeRS485: Sending ACK
10.02.2015 22:25:04: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:04: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:04: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:04: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:04: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:25:04: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:04: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:04: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:04: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:25:04: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:04: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:25:04: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:04: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:04: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:04: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:04: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:04: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:04: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:04: NibeRS485: Ignoring
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:04: NibeRS485: Sending ACK
10.02.2015 22:25:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:04: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:04: NibeRS485: Sending ACK
10.02.2015 22:25:04: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:05: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:05: NibeRS485: Ignoring
10.02.2015 22:25:05: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:05: NibeRS485: Sending ACK
10.02.2015 22:25:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:05: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:05: NibeRS485: Sending ACK

10.02.2015 22:25:05: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:05: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:05: NibeRS485: Ignoring
10.02.2015 22:25:05: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:05: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:05: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:05: NibeRS485: No data found with id 40083
10.02.2015 22:25:06: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:06: NibeRS485: Ignoring
10.02.2015 22:25:06: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:06: NibeRS485: Sending ACK
10.02.2015 22:25:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:06: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:06: NibeRS485: No data found with id 40083
10.02.2015 22:25:06: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:06: NibeRS485: Sending ACK
10.02.2015 22:25:06: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:06: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FE
00 A4 9C 57 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 9A

10.02.2015 22:25:06: NibeRS485: Sending ACK
10.02.2015 22:25:06: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:06: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:06: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:06: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:06: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:25:06: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:06: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:06: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:06: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:25:06: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:06: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:25:06: NibeRS485: Got data for id 40100: 0x0057
10.02.2015 22:25:06: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:06: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:06: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:06: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:06: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:06: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:06: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:06: NibeRS485: Ignoring
10.02.2015 22:25:07: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:07: NibeRS485: Ignoring

10.02.2015 22:25:07: NibeRS485: Received:
5C 00 20 6A 06 93 9C 33 00 00 00 70

10.02.2015 22:25:07: NibeRS485: Sending ACK
10.02.2015 22:25:07: NibeRS485: Got queried data for id 40083: 0x0033
10.02.2015 22:25:07: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:07: NibeRS485: Sending ACK
10.02.2015 22:25:07: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:07: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:07: NibeRS485: Sending ACK
10.02.2015 22:25:07: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:07: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:07: NibeRS485: Ignoring
10.02.2015 22:25:07: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:07: NibeRS485: No data found with id 40083
10.02.2015 22:25:07: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:07: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:07: TaloLoggerThreadStore: Logged data for timestamp 20150210222505
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.1

10.02.2015 22:25:08: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:08: NibeRS485: Ignoring
10.02.2015 22:25:08: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:08: NibeRS485: Sending ACK
10.02.2015 22:25:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:08: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:08: NibeRS485: Sending ACK
10.02.2015 22:25:08: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:08: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1B 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 63 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 94

10.02.2015 22:25:08: NibeRS485: Sending ACK
10.02.2015 22:25:08: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:08: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:08: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:08: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:08: NibeRS485: Got data for id 40014: 0x021B
10.02.2015 22:25:08: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:08: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:08: NibeRS485: Got data for id 40016: 0x0052

10.02.2015 22:25:08: NibeRS485: Got data for id 40018: 0x0163
10.02.2015 22:25:08: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:08: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:08: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:08: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:08: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:08: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:08: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:08: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:08: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:08: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:08: NibeRS485: Ignoring
10.02.2015 22:25:09: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:09: NibeRS485: Ignoring
10.02.2015 22:25:09: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:09: NibeRS485: Sending ACK
10.02.2015 22:25:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:09: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:09: NibeRS485: Sending ACK
10.02.2015 22:25:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:09: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:25:09: NibeRS485: Sending ACK
10.02.2015 22:25:09: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:09: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:09: NibeRS485: Ignoring
10.02.2015 22:25:10: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:10: NibeRS485: Ignoring
10.02.2015 22:25:10: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:10: NibeRS485: Sending ACK
10.02.2015 22:25:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:10: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:10: NibeRS485: Sending ACK
10.02.2015 22:25:10: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:10: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:10: NibeRS485: Ignoring
10.02.2015 22:25:10: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:10: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:10: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:10: NibeRS485: No data found with id 40083

10.02.2015 22:25:11: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:11: NibeRS485: Ignoring
10.02.2015 22:25:11: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:11: NibeRS485: Sending ACK
10.02.2015 22:25:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:11: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:11: NibeRS485: No data found with id 40083
10.02.2015 22:25:11: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:11: NibeRS485: Sending ACK
10.02.2015 22:25:11: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:11: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6A

10.02.2015 22:25:11: NibeRS485: Sending ACK
10.02.2015 22:25:11: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:11: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:11: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:11: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:11: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:11: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:11: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:11: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:11: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:11: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:11: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:11: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:11: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:11: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:11: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:11: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:11: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:11: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:11: NibeRS485: Ignoring
10.02.2015 22:25:12: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:12: NibeRS485: Ignoring
10.02.2015 22:25:12: NibeRS485: Received:
5C 00 20 6A 06 93 9C 27 00 00 00 64

10.02.2015 22:25:12: NibeRS485: Sending ACK
10.02.2015 22:25:12: NibeRS485: Got queried data for id 40083: 0x0027
10.02.2015 22:25:12: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:12: NibeRS485: Sending ACK

10.02.2015 22:25:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:12: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:12: NibeRS485: Sending ACK
10.02.2015 22:25:12: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:12: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:12: NibeRS485: Ignoring
10.02.2015 22:25:12: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:12: NibeRS485: No data found with id 40083
10.02.2015 22:25:12: TalLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:12: TalLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:12: TalLoggerThreadStore: Logged data for timestamp 20150210222510
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 3.9

10.02.2015 22:25:13: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:13: NibeRS485: Ignoring
10.02.2015 22:25:13: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:13: NibeRS485: Sending ACK
10.02.2015 22:25:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:13: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:13: NibeRS485: Sending ACK
10.02.2015 22:25:13: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:13: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 94

10.02.2015 22:25:13: NibeRS485: Sending ACK
10.02.2015 22:25:13: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:13: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:13: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:13: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:13: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:13: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:13: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:13: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:13: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:13: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:13: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:13: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:13: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:13: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:13: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:13: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:13: NibeRS485: Got data for id 65535: 0x0000

10.02.2015 22:25:13: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:13: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:13: NibeRS485: Ignoring
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:14: NibeRS485: Ignoring
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:14: NibeRS485: Sending ACK
10.02.2015 22:25:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:14: NibeRS485: Sending ACK
10.02.2015 22:25:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:14: NibeRS485: Ignoring
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:14: NibeRS485: Sending ACK
10.02.2015 22:25:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:14: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:14: NibeRS485: Sending ACK
10.02.2015 22:25:14: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:15: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:15: NibeRS485: Ignoring
10.02.2015 22:25:15: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:15: NibeRS485: Sending ACK
10.02.2015 22:25:15: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:15: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:15: NibeRS485: Sending ACK
10.02.2015 22:25:15: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:15: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:15: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:15: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:15: NibeRS485: No data found with id 40083
10.02.2015 22:25:15: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 92

10.02.2015 22:25:15: NibeRS485: Sending ACK

10.02.2015 22:25:15: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:15: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:15: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:15: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:15: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:15: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:15: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:15: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:15: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:15: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:15: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:15: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:15: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:15: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:15: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:15: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:15: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:15: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:15: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:15: NibeRS485: Ignoring
10.02.2015 22:25:16: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:16: NibeRS485: Ignoring
10.02.2015 22:25:16: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:16: NibeRS485: Sending ACK
10.02.2015 22:25:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:16: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:16: NibeRS485: No data found with id 40083
10.02.2015 22:25:16: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:16: NibeRS485: Sending ACK
10.02.2015 22:25:16: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:16: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:16: NibeRS485: Ignoring
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:17: NibeRS485: Ignoring
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 20 6A 06 93 9C 25 00 00 00 66

10.02.2015 22:25:17: NibeRS485: Sending ACK
10.02.2015 22:25:17: NibeRS485: Got queried data for id 40083: 0x0025
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:17: NibeRS485: Sending ACK
10.02.2015 22:25:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:17: NibeRS485: Sending ACK

10.02.2015 22:25:17: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:17: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:17: NibeRS485: No data found with id 40083
10.02.2015 22:25:17: TalLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:17: TalLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:17: TalLoggerThreadStore: Logged data for timestamp 20150210222515
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 3.7
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FE
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 93

10.02.2015 22:25:17: NibeRS485: Sending ACK
10.02.2015 22:25:17: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:17: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:17: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:17: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:17: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:17: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:17: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:17: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:17: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:17: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:17: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:25:17: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:17: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:17: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:17: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:17: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:17: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:17: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:17: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:17: NibeRS485: Ignoring
10.02.2015 22:25:18: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:18: NibeRS485: Ignoring
10.02.2015 22:25:18: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:18: NibeRS485: Sending ACK
10.02.2015 22:25:18: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:18: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:18: NibeRS485: Sending ACK
10.02.2015 22:25:18: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:18: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:18: NibeRS485: Ignoring

10.02.2015 22:25:19: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:19: NibeRS485: Ignoring
10.02.2015 22:25:19: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:19: NibeRS485: Sending ACK
10.02.2015 22:25:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:19: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:19: NibeRS485: Sending ACK
10.02.2015 22:25:19: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:19: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 60
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 94

10.02.2015 22:25:19: NibeRS485: Sending ACK
10.02.2015 22:25:19: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:19: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:19: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:19: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:19: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:19: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:19: NibeRS485: Got data for id 40015: 0x0060
10.02.2015 22:25:19: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:19: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:19: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:19: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:19: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:19: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:19: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:19: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:19: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:19: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:19: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:19: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:19: NibeRS485: Ignoring
10.02.2015 22:25:20: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:20: NibeRS485: Ignoring
10.02.2015 22:25:20: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:20: NibeRS485: Sending ACK
10.02.2015 22:25:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:20: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:20: NibeRS485: Sending ACK
10.02.2015 22:25:20: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:20: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:25:20: NibeRS485: Ignoring
10.02.2015 22:25:20: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:20: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:20: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:20: NibeRS485: No data found with id 40083
10.02.2015 22:25:21: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:21: NibeRS485: Ignoring
10.02.2015 22:25:21: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:21: NibeRS485: Sending ACK
10.02.2015 22:25:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:21: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:21: NibeRS485: No data found with id 40083
10.02.2015 22:25:21: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:21: NibeRS485: Sending ACK
10.02.2015 22:25:21: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:21: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 95

10.02.2015 22:25:21: NibeRS485: Sending ACK
10.02.2015 22:25:21: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:21: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:21: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:21: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:21: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:21: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:21: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:21: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:21: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:21: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:21: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:21: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:21: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:21: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:21: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:21: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:21: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:21: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:21: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:21: NibeRS485: Ignoring
10.02.2015 22:25:22: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:22: NibeRS485: Ignoring
10.02.2015 22:25:22: NibeRS485: Received:
5C 00 20 6A 06 93 9C 28 00 00 00 6B

10.02.2015 22:25:22: NibeRS485: Sending ACK
10.02.2015 22:25:22: NibeRS485: Got queried data for id 40083: 0x0028
10.02.2015 22:25:22: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:22: NibeRS485: Sending ACK
10.02.2015 22:25:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:22: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:22: NibeRS485: Sending ACK
10.02.2015 22:25:22: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:22: NibeRS485: Received:
5C 00 29 90 00 B9
10.02.2015 22:25:22: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:22: NibeRS485: No data found with id 40083

10.02.2015 22:25:22: NibeRS485: Ignoring
10.02.2015 22:25:22: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:22: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:22: TaloLoggerThreadStore: Logged data for timestamp 20150210222520
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 4.0
10.02.2015 22:25:23: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:23: NibeRS485: Ignoring
10.02.2015 22:25:23: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:23: NibeRS485: Sending ACK
10.02.2015 22:25:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:23: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:23: NibeRS485: Sending ACK
10.02.2015 22:25:23: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:23: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2C 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 92

10.02.2015 22:25:23: NibeRS485: Sending ACK
10.02.2015 22:25:23: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:23: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:23: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:23: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:23: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:23: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:23: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:23: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:23: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:23: NibeRS485: Got data for id 40017: 0x0142

10.02.2015 22:25:23: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:23: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:23: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:23: NibeRS485: Got data for id 40087: 0x012C
10.02.2015 22:25:23: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:23: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:23: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:23: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:23: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:23: NibeRS485: Ignoring
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:24: NibeRS485: Ignoring
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:24: NibeRS485: Sending ACK
10.02.2015 22:25:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:24: NibeRS485: Sending ACK
10.02.2015 22:25:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:25:24: NibeRS485: Sending ACK
10.02.2015 22:25:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:24: NibeRS485: Ignoring
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:24: NibeRS485: Sending ACK
10.02.2015 22:25:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:24: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:24: NibeRS485: Sending ACK
10.02.2015 22:25:24: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:25: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:25: NibeRS485: Ignoring
10.02.2015 22:25:25: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:25: NibeRS485: Sending ACK
10.02.2015 22:25:25: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:25: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:25: NibeRS485: Sending ACK
10.02.2015 22:25:25: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:25: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:25: NibeRS485: Ignoring
10.02.2015 22:25:25: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:25: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:25: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:25: NibeRS485: No data found with id 40083
10.02.2015 22:25:26: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:26: NibeRS485: Ignoring
10.02.2015 22:25:26: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:26: NibeRS485: Sending ACK
10.02.2015 22:25:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:26: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:26: NibeRS485: No data found with id 40083
10.02.2015 22:25:26: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:26: NibeRS485: Sending ACK
10.02.2015 22:25:26: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:26: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 68

10.02.2015 22:25:26: NibeRS485: Sending ACK
10.02.2015 22:25:26: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:26: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:26: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:26: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:26: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:26: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:26: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:26: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:26: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:26: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:26: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:26: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:26: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:26: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:26: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:26: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:26: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:26: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:26: NibeRS485: Ignoring
10.02.2015 22:25:27: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:27: NibeRS485: Ignoring
10.02.2015 22:25:27: NibeRS485: Received:

5C 00 20 6A 06 93 9C 36 00 00 00 75

10.02.2015 22:25:27: NibeRS485: Sending ACK

10.02.2015 22:25:27: NibeRS485: Got queried data for id 40083: 0x0036

10.02.2015 22:25:27: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:25:27: NibeRS485: Sending ACK

10.02.2015 22:25:27: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:27: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:25:27: NibeRS485: Sending ACK

10.02.2015 22:25:27: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:27: NibeRS485: Received:

5C 00 29 90 00 B9

10.02.2015 22:25:27: NibeRS485: Ignoring

10.02.2015 22:25:27: NibeRS485: Running nibeBus query with id 40083

10.02.2015 22:25:27: NibeRS485: No data found with id 40083

10.02.2015 22:25:27: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.

10.02.2015 22:25:27: TaloLoggerThreadStore: Storing logged data with 4 points.

10.02.2015 22:25:27: TaloLoggerThreadStore: Logged data for timestamp 20150210222525
dummy: 14.7

nibeoutdoor:

hwsupply: 61.3

current_phase1: 5.4

10.02.2015 22:25:28: NibeRS485: Received:

5C 00 29 55 02 08 00 76

10.02.2015 22:25:28: NibeRS485: Ignoring

10.02.2015 22:25:28: NibeRS485: Received:

5C 00 20 6B 00 4B

10.02.2015 22:25:28: NibeRS485: Sending ACK

10.02.2015 22:25:28: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:28: NibeRS485: Received:

5C 00 20 69 00 49

10.02.2015 22:25:28: NibeRS485: Sending ACK

10.02.2015 22:25:28: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:28: NibeRS485: Received:

5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14

01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 62

00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF

00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34

01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00

00 FF FF 00 00 6F

10.02.2015 22:25:28: NibeRS485: Sending ACK

10.02.2015 22:25:28: NibeRS485: Got data for id 40004: 0x0023

10.02.2015 22:25:28: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:25:28: NibeRS485: Got data for id 40152: 0x0114

10.02.2015 22:25:28: NibeRS485: Got data for id 40013: 0x022F

10.02.2015 22:25:28: NibeRS485: Got data for id 40014: 0x021A

10.02.2015 22:25:28: NibeRS485: Got data for id 40147: 0x0265

10.02.2015 22:25:28: NibeRS485: Got data for id 40015: 0x0062

10.02.2015 22:25:28: NibeRS485: Got data for id 40016: 0x0052

10.02.2015 22:25:28: NibeRS485: Got data for id 40018: 0x0162

10.02.2015 22:25:28: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:28: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:28: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:28: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:28: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:28: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:28: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:28: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:28: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:28: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:28: NibeRS485: Ignoring
10.02.2015 22:25:29: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:29: NibeRS485: Ignoring
10.02.2015 22:25:29: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:29: NibeRS485: Sending ACK
10.02.2015 22:25:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:29: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:29: NibeRS485: Sending ACK
10.02.2015 22:25:29: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:29: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:29: NibeRS485: Ignoring
10.02.2015 22:25:30: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:30: NibeRS485: Ignoring
10.02.2015 22:25:30: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:30: NibeRS485: Sending ACK
10.02.2015 22:25:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:30: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:30: NibeRS485: Sending ACK
10.02.2015 22:25:30: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:30: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:30: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:30: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:30: NibeRS485: No data found with id 40083
10.02.2015 22:25:30: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 68

10.02.2015 22:25:30: NibeRS485: Sending ACK
10.02.2015 22:25:30: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:30: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:25:30: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:30: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:30: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:30: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:30: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:30: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:30: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:30: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:30: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:30: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:30: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:30: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:30: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:30: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:30: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:30: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:30: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:30: NibeRS485: Ignoring
10.02.2015 22:25:31: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:31: NibeRS485: Ignoring
10.02.2015 22:25:31: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:31: NibeRS485: Sending ACK
10.02.2015 22:25:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:31: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:31: NibeRS485: No data found with id 40083
10.02.2015 22:25:31: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:31: NibeRS485: Sending ACK
10.02.2015 22:25:31: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:31: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:31: NibeRS485: Ignoring
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:32: NibeRS485: Ignoring
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 20 6A 06 93 9C 30 00 00 00 73

10.02.2015 22:25:32: NibeRS485: Sending ACK
10.02.2015 22:25:32: NibeRS485: Got queried data for id 40083: 0x0030
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:32: NibeRS485: Sending ACK
10.02.2015 22:25:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:32: NibeRS485: Sending ACK
10.02.2015 22:25:32: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:32: NibeRS485: Running nibeBus query with id 40083

10.02.2015 22:25:32: NibeRS485: No data found with id 40083
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 96

10.02.2015 22:25:32: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:32: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:32: TaloLoggerThreadStore: Logged data for timestamp 20150210222530
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 4.8

10.02.2015 22:25:32: NibeRS485: Sending ACK
10.02.2015 22:25:32: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:32: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:32: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:32: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:32: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:32: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:32: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:32: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:32: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:32: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:32: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:32: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:32: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:32: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:32: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:32: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:32: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:32: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:32: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:32: NibeRS485: Ignoring
10.02.2015 22:25:33: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:33: NibeRS485: Ignoring
10.02.2015 22:25:33: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:33: NibeRS485: Sending ACK
10.02.2015 22:25:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:33: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:33: NibeRS485: Sending ACK
10.02.2015 22:25:33: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:33: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:33: NibeRS485: Ignoring
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:34: NibeRS485: Ignoring
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:34: NibeRS485: Sending ACK
10.02.2015 22:25:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:34: NibeRS485: Sending ACK
10.02.2015 22:25:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 91

10.02.2015 22:25:34: NibeRS485: Sending ACK
10.02.2015 22:25:34: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:34: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:34: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:34: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:34: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:34: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:34: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:34: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:34: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:34: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:34: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:34: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:34: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:34: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:34: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:34: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:34: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:34: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:34: NibeRS485: Ignoring
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:34: NibeRS485: Sending ACK
10.02.2015 22:25:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:34: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:34: NibeRS485: Sending ACK
10.02.2015 22:25:34: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:35: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:35: NibeRS485: Ignoring
10.02.2015 22:25:35: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:35: NibeRS485: Sending ACK
10.02.2015 22:25:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:35: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:35: NibeRS485: Sending ACK
10.02.2015 22:25:35: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:35: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:35: NibeRS485: Ignoring
10.02.2015 22:25:35: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:35: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:35: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:35: NibeRS485: No data found with id 40083
10.02.2015 22:25:36: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:36: NibeRS485: Ignoring
10.02.2015 22:25:36: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:36: NibeRS485: Sending ACK
10.02.2015 22:25:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:36: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:36: NibeRS485: No data found with id 40083
10.02.2015 22:25:36: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:36: NibeRS485: Sending ACK
10.02.2015 22:25:36: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:36: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 92

10.02.2015 22:25:36: NibeRS485: Sending ACK
10.02.2015 22:25:36: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:36: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:36: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:36: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:36: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:36: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:36: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:36: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:36: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:36: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:36: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:36: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:36: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:36: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:36: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:36: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:36: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:36: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:36: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:36: NibeRS485: Ignoring
10.02.2015 22:25:37: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:37: NibeRS485: Ignoring
10.02.2015 22:25:37: NibeRS485: Received:
5C 00 20 6A 06 93 9C 33 00 00 00 70

10.02.2015 22:25:37: NibeRS485: Sending ACK
10.02.2015 22:25:37: NibeRS485: Got queried data for id 40083: 0x0033
10.02.2015 22:25:37: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:37: NibeRS485: Sending ACK
10.02.2015 22:25:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:37: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:37: NibeRS485: Sending ACK
10.02.2015 22:25:37: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:37: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:37: NibeRS485: Ignoring
10.02.2015 22:25:37: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:37: NibeRS485: No data found with id 40083
10.02.2015 22:25:37: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:37: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:37: TaloLoggerThreadStore: Logged data for timestamp 20150210222535
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 5.1
10.02.2015 22:25:38: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:38: NibeRS485: Ignoring
10.02.2015 22:25:38: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:38: NibeRS485: Sending ACK
10.02.2015 22:25:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:38: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:38: NibeRS485: Sending ACK
10.02.2015 22:25:38: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:38: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 1A 02 D3 9C 65 02 4F 9C 61
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:38: NibeRS485: Sending ACK
10.02.2015 22:25:38: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:38: NibeRS485: Got data for id 40071: 0x0114

10.02.2015 22:25:38: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:38: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:38: NibeRS485: Got data for id 40014: 0x021A
10.02.2015 22:25:38: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:38: NibeRS485: Got data for id 40015: 0x0061
10.02.2015 22:25:38: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:38: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:38: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:38: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:38: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:38: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:38: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:38: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:38: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:38: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:38: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:38: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:38: NibeRS485: Ignoring
10.02.2015 22:25:39: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:39: NibeRS485: Ignoring
10.02.2015 22:25:39: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:39: NibeRS485: Sending ACK
10.02.2015 22:25:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:39: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:39: NibeRS485: Sending ACK
10.02.2015 22:25:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:39: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:25:39: NibeRS485: Sending ACK
10.02.2015 22:25:39: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:39: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:39: NibeRS485: Ignoring
10.02.2015 22:25:40: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:40: NibeRS485: Ignoring
10.02.2015 22:25:40: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:40: NibeRS485: Sending ACK
10.02.2015 22:25:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:40: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:40: NibeRS485: Sending ACK
10.02.2015 22:25:40: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:40: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:40: NibeRS485: Ignoring
10.02.2015 22:25:40: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:40: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:40: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:40: NibeRS485: No data found with id 40083
10.02.2015 22:25:41: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:41: NibeRS485: Ignoring
10.02.2015 22:25:41: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:41: NibeRS485: Sending ACK
10.02.2015 22:25:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:41: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:41: NibeRS485: No data found with id 40083
10.02.2015 22:25:41: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:41: NibeRS485: Sending ACK
10.02.2015 22:25:41: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:41: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FE
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 94

10.02.2015 22:25:41: NibeRS485: Sending ACK
10.02.2015 22:25:41: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:41: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:41: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:41: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:41: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:41: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:41: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:41: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:41: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:41: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:41: NibeRS485: Got data for id 40012: 0x00FE
10.02.2015 22:25:41: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:41: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:41: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:41: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:41: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:41: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:41: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:41: NibeRS485: Ignoring
10.02.2015 22:25:42: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:42: NibeRS485: Ignoring
10.02.2015 22:25:42: NibeRS485: Received:
5C 00 20 6A 06 93 9C 2B 00 00 00 68

10.02.2015 22:25:42: NibeRS485: Sending ACK
10.02.2015 22:25:42: NibeRS485: Got queried data for id 40083: 0x002B
10.02.2015 22:25:42: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:42: NibeRS485: Sending ACK
10.02.2015 22:25:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:42: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:42: NibeRS485: Sending ACK
10.02.2015 22:25:42: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:42: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:42: NibeRS485: Ignoring
10.02.2015 22:25:42: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:42: NibeRS485: No data found with id 40083
10.02.2015 22:25:42: TaloLoggerThreadStore: Received none or unknown data for command
NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:42: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:42: TaloLoggerThreadStore: Logged data for timestamp 20150210222540
dummy: 14.7
nibeoutdoor:
hwsupply: 61.3
current_phase1: 4.3
10.02.2015 22:25:43: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:43: NibeRS485: Ignoring
10.02.2015 22:25:43: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:43: NibeRS485: Sending ACK
10.02.2015 22:25:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:43: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:43: NibeRS485: Sending ACK
10.02.2015 22:25:43: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:43: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:43: NibeRS485: Sending ACK
10.02.2015 22:25:43: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:43: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:43: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:43: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:43: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:43: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:43: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:43: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:43: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:43: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:43: NibeRS485: Got data for id 40012: 0x00FF

10.02.2015 22:25:43: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:43: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:43: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:43: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:43: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:43: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:43: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:43: NibeRS485: Ignoring
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:44: NibeRS485: Ignoring
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:44: NibeRS485: Sending ACK
10.02.2015 22:25:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:44: NibeRS485: Sending ACK
10.02.2015 22:25:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:44: NibeRS485: Ignoring
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:44: NibeRS485: Sending ACK
10.02.2015 22:25:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:44: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:44: NibeRS485: Sending ACK
10.02.2015 22:25:44: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:45: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:45: NibeRS485: Ignoring
10.02.2015 22:25:45: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:45: NibeRS485: Sending ACK
10.02.2015 22:25:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:45: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:45: NibeRS485: Sending ACK
10.02.2015 22:25:45: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:45: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:45: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:45: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:45: NibeRS485: No data found with id 40083
10.02.2015 22:25:45: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62

00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 92

10.02.2015 22:25:45: NibeRS485: Sending ACK
10.02.2015 22:25:45: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:45: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:45: NibeRS485: Got data for id 40152: 0x0114
10.02.2015 22:25:45: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:45: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:45: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:45: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:45: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:45: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:45: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:45: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:45: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:45: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:45: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:45: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:45: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:45: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:45: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:45: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:45: NibeRS485: Ignoring
10.02.2015 22:25:46: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:46: NibeRS485: Ignoring
10.02.2015 22:25:46: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:46: NibeRS485: Sending ACK
10.02.2015 22:25:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:46: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:46: NibeRS485: No data found with id 40083
10.02.2015 22:25:46: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:46: NibeRS485: Sending ACK
10.02.2015 22:25:46: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:46: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:46: NibeRS485: Ignoring
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:47: NibeRS485: Ignoring
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 20 6A 06 93 9C 25 00 00 00 66

10.02.2015 22:25:47: NibeRS485: Sending ACK
10.02.2015 22:25:47: NibeRS485: Got queried data for id 40083: 0x0025
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:47: NibeRS485: Sending ACK
10.02.2015 22:25:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:47: NibeRS485: Sending ACK
10.02.2015 22:25:47: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:47: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:47: NibeRS485: No data found with id 40083
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:47: NibeRS485: Sending ACK
10.02.2015 22:25:47: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:47: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:47: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:47: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:47: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:47: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:47: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:47: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:47: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:47: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:47: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:47: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:47: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:47: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:47: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:47: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:47: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:47: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:47: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:47: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:47: TaloLoggerThreadStore: Logged data for timestamp 20150210222545
dummy: 14.8
nibeoutdoor:
hwsupply: 61.3
current_phase1: 3.7
10.02.2015 22:25:47: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:47: NibeRS485: Ignoring
10.02.2015 22:25:48: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:48: NibeRS485: Ignoring
10.02.2015 22:25:48: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:48: NibeRS485: Sending ACK
10.02.2015 22:25:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:48: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:48: NibeRS485: Sending ACK
10.02.2015 22:25:48: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:48: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:48: NibeRS485: Ignoring
10.02.2015 22:25:49: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:49: NibeRS485: Ignoring
10.02.2015 22:25:49: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:49: NibeRS485: Sending ACK
10.02.2015 22:25:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:49: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:49: NibeRS485: Sending ACK
10.02.2015 22:25:49: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:49: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 95

10.02.2015 22:25:49: NibeRS485: Sending ACK
10.02.2015 22:25:49: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:49: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:49: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:49: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:49: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:49: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:49: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:49: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:49: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:49: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:49: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:49: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:49: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:49: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:49: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:49: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:49: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:49: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:49: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:49: NibeRS485: Ignoring
10.02.2015 22:25:50: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:50: NibeRS485: Ignoring
10.02.2015 22:25:50: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:50: NibeRS485: Sending ACK
10.02.2015 22:25:50: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:25:50: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:50: NibeRS485: Sending ACK
10.02.2015 22:25:50: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:50: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:50: NibeRS485: Ignoring
10.02.2015 22:25:50: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:50: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:50: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:50: NibeRS485: No data found with id 40083
10.02.2015 22:25:51: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:51: NibeRS485: Ignoring
10.02.2015 22:25:51: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:51: NibeRS485: Sending ACK
10.02.2015 22:25:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:51: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:51: NibeRS485: No data found with id 40083
10.02.2015 22:25:51: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:51: NibeRS485: Sending ACK
10.02.2015 22:25:51: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:51: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 53 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 50 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 8B

10.02.2015 22:25:51: NibeRS485: Sending ACK
10.02.2015 22:25:51: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:51: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:51: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:51: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:51: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:51: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:51: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:51: NibeRS485: Got data for id 40016: 0x0053
10.02.2015 22:25:51: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:51: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:51: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:51: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:51: NibeRS485: Got data for id 40085: 0x0050
10.02.2015 22:25:51: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:51: NibeRS485: Got data for id 40086: 0x013A
10.02.2015 22:25:51: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:51: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:51: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:51: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:51: NibeRS485: Ignoring

10.02.2015 22:25:52: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:52: NibeRS485: Ignoring
10.02.2015 22:25:52: NibeRS485: Received:
5C 00 20 6A 06 93 9C 2C 00 00 00 6F

10.02.2015 22:25:52: NibeRS485: Sending ACK
10.02.2015 22:25:52: NibeRS485: Got queried data for id 40083: 0x002C
10.02.2015 22:25:52: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:52: NibeRS485: Sending ACK
10.02.2015 22:25:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:52: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:52: NibeRS485: Sending ACK
10.02.2015 22:25:52: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:52: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:52: NibeRS485: Ignoring
10.02.2015 22:25:52: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:52: NibeRS485: No data found with id 40083
10.02.2015 22:25:52: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:52: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:52: TaloLoggerThreadStore: Logged data for timestamp 20150210222550
dummy: 14.8
nibeoutdoor:
hwsupply: 61.3
current_phase1: 4.4
10.02.2015 22:25:53: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:53: NibeRS485: Ignoring
10.02.2015 22:25:53: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:53: NibeRS485: Sending ACK
10.02.2015 22:25:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:53: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:53: NibeRS485: Sending ACK
10.02.2015 22:25:53: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:53: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:53: NibeRS485: Sending ACK
10.02.2015 22:25:53: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:53: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:53: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:53: NibeRS485: Got data for id 40013: 0x022F

10.02.2015 22:25:53: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:53: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:53: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:53: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:53: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:53: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:53: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:53: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:53: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:53: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:53: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:53: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:53: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:53: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:53: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:53: NibeRS485: Ignoring
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:54: NibeRS485: Ignoring
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:54: NibeRS485: Sending ACK
10.02.2015 22:25:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:54: NibeRS485: Sending ACK
10.02.2015 22:25:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 20 6D 0B 01 10 36 46 31 33 34 35 2D 32 34
0F

10.02.2015 22:25:54: NibeRS485: Sending ACK
10.02.2015 22:25:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:54: NibeRS485: Ignoring
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:54: NibeRS485: Sending ACK
10.02.2015 22:25:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:54: NibeRS485: Received:
5C 00 20 EE 00 CE

10.02.2015 22:25:54: NibeRS485: Sending ACK
10.02.2015 22:25:54: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:55: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:55: NibeRS485: Ignoring
10.02.2015 22:25:55: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:55: NibeRS485: Sending ACK

10.02.2015 22:25:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:55: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:55: NibeRS485: Sending ACK
10.02.2015 22:25:55: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:55: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:55: NibeRS485: Ignoring
10.02.2015 22:25:55: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:25:55: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:25:55: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:55: NibeRS485: No data found with id 40083
10.02.2015 22:25:56: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:56: NibeRS485: Ignoring
10.02.2015 22:25:56: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:56: NibeRS485: Sending ACK
10.02.2015 22:25:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:56: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:56: NibeRS485: No data found with id 40083
10.02.2015 22:25:56: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:56: NibeRS485: Sending ACK
10.02.2015 22:25:56: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:56: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 6B

10.02.2015 22:25:56: NibeRS485: Sending ACK
10.02.2015 22:25:56: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:56: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:56: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:25:56: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:56: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:56: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:56: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:56: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:56: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:56: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:56: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:56: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:56: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:56: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:56: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:56: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:25:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:56: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:56: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:56: NibeRS485: Ignoring
10.02.2015 22:25:57: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:57: NibeRS485: Ignoring
10.02.2015 22:25:57: NibeRS485: Received:
5C 00 20 6A 06 93 9C 2D 00 00 00 6E

10.02.2015 22:25:57: NibeRS485: Sending ACK
10.02.2015 22:25:57: NibeRS485: Got queried data for id 40083: 0x002D
10.02.2015 22:25:57: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:57: NibeRS485: Sending ACK
10.02.2015 22:25:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:57: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:57: NibeRS485: Sending ACK
10.02.2015 22:25:57: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:57: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:57: NibeRS485: Ignoring
10.02.2015 22:25:57: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:25:57: NibeRS485: No data found with id 40083
10.02.2015 22:25:57: TaloLoggerThreadStore: Received none or unknown data for command NIBERS485.EB100-BT1 Outdoor temp.
10.02.2015 22:25:57: TaloLoggerThreadStore: Storing logged data with 4 points.
10.02.2015 22:25:57: TaloLoggerThreadStore: Logged data for timestamp 20150210222555
dummy: 14.8
nibeoutdoor:
hwsupply: 61.3
current_phase1: 4.5
10.02.2015 22:25:58: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:58: NibeRS485: Ignoring
10.02.2015 22:25:58: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:58: NibeRS485: Sending ACK
10.02.2015 22:25:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:58: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:58: NibeRS485: Sending ACK
10.02.2015 22:25:58: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:58: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 14
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 62 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 4F 00 97 9C 2B 01 96 9C 34
01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 92

10.02.2015 22:25:58: NibeRS485: Sending ACK
10.02.2015 22:25:58: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:25:58: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:25:58: NibeRS485: Got data for id 40152: 0x0114

10.02.2015 22:25:58: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:25:58: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:25:58: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:25:58: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:25:58: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:25:58: NibeRS485: Got data for id 40018: 0x0162
10.02.2015 22:25:58: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:25:58: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:25:58: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:25:58: NibeRS485: Got data for id 40085: 0x004F
10.02.2015 22:25:58: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:25:58: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:25:58: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:25:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:58: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:25:58: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:58: NibeRS485: Ignoring
10.02.2015 22:25:59: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:25:59: NibeRS485: Ignoring
10.02.2015 22:25:59: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:25:59: NibeRS485: Sending ACK
10.02.2015 22:25:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:59: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:25:59: NibeRS485: Sending ACK
10.02.2015 22:25:59: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:25:59: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:25:59: NibeRS485: Ignoring
10.02.2015 22:26:00: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:26:00: NibeRS485: Ignoring
10.02.2015 22:26:00: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:26:00: NibeRS485: Sending ACK
10.02.2015 22:26:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:00: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:26:00: NibeRS485: Sending ACK
10.02.2015 22:26:00: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:00: NibeRS485: ERROR: Invalid NIBE key: EB100-BT1 Outdoor temp
10.02.2015 22:26:00: NibeRS485: Running nibeBus query with id 40147
10.02.2015 22:26:00: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:26:00: NibeRS485: No data found with id 40083
10.02.2015 22:26:00: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13
01 4D 9C 2F 02 4E 9C 19 02 D3 9C 65 02 4F 9C 62
00 50 9C 53 00 52 9C 61 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 50 00 97 9C 2B 01 96 9C 34

01 4B 9C FF 00 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 88

10.02.2015 22:26:00: NibeRS485: Sending ACK
10.02.2015 22:26:00: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:26:00: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:26:00: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:26:00: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:26:00: NibeRS485: Got data for id 40014: 0x0219
10.02.2015 22:26:00: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:26:00: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:26:00: NibeRS485: Got data for id 40016: 0x0053
10.02.2015 22:26:00: NibeRS485: Got data for id 40018: 0x0161
10.02.2015 22:26:00: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:26:00: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:26:00: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:26:00: NibeRS485: Got data for id 40085: 0x0050
10.02.2015 22:26:00: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:26:00: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:26:00: NibeRS485: Got data for id 40011: 0x00FF
10.02.2015 22:26:00: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:26:00: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:26:00: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:26:00: NibeRS485: Ignoring
10.02.2015 22:26:01: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:26:01: NibeRS485: Ignoring
10.02.2015 22:26:01: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:26:01: NibeRS485: Sending ACK
10.02.2015 22:26:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:01: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:26:01: NibeRS485: No data found with id 40083
10.02.2015 22:26:01: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:26:01: NibeRS485: Sending ACK
10.02.2015 22:26:01: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:01: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:26:01: NibeRS485: Ignoring
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:26:02: NibeRS485: Sending ACK
10.02.2015 22:26:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:02: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:26:02: NibeRS485: No data found with id 40083
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:26:02: NibeRS485: Sending ACK
10.02.2015 22:26:02: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 20 68 50 44 9C 23 00 87 9C 14 01 D8 9C 13

01 4D 9C 2F 02 4E 9C 18 02 D3 9C 65 02 4F 9C 62
00 50 9C 52 00 52 9C 61 01 51 9C 42 01 4C 9C FF
00 A4 9C 58 00 95 9C 50 00 97 9C 2B 01 96 9C 34
01 4B 9C 00 01 FF FF 00 00 FF FF 00 00 FF FF 00
00 FF FF 00 00 76

10.02.2015 22:26:02: NibeRS485: Sending ACK
10.02.2015 22:26:02: NibeRS485: Got data for id 40004: 0x0023
10.02.2015 22:26:02: NibeRS485: Got data for id 40071: 0x0114
10.02.2015 22:26:02: NibeRS485: Got data for id 40152: 0x0113
10.02.2015 22:26:02: NibeRS485: Got data for id 40013: 0x022F
10.02.2015 22:26:02: NibeRS485: Got data for id 40014: 0x0218
10.02.2015 22:26:02: NibeRS485: Got data for id 40147: 0x0265
10.02.2015 22:26:02: NibeRS485: Got data for id 40015: 0x0062
10.02.2015 22:26:02: NibeRS485: Got data for id 40016: 0x0052
10.02.2015 22:26:02: NibeRS485: Got data for id 40018: 0x0161
10.02.2015 22:26:02: NibeRS485: Got data for id 40017: 0x0142
10.02.2015 22:26:02: NibeRS485: Got data for id 40012: 0x00FF
10.02.2015 22:26:02: NibeRS485: Got data for id 40100: 0x0058
10.02.2015 22:26:02: NibeRS485: Got data for id 40085: 0x0050
10.02.2015 22:26:02: NibeRS485: Got data for id 40087: 0x012B
10.02.2015 22:26:02: NibeRS485: Got data for id 40086: 0x0134
10.02.2015 22:26:02: NibeRS485: Got data for id 40011: 0x0100
10.02.2015 22:26:02: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:26:02: NibeRS485: Got data for id 65535: 0x0000
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:26:02: NibeRS485: Ignoring
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:26:02: NibeRS485: Ignoring
10.02.2015 22:26:02: NibeRS485: Received:
5C 00 20 6A 06 93 9C 22 00 00 00 61

10.02.2015 22:26:02: NibeRS485: Sending ACK
10.02.2015 22:26:02: NibeRS485: Got queried data for id 40083: 0x0022
10.02.2015 22:26:02: NibeRS485: Running nibeBus query with id 40083
10.02.2015 22:26:02: NibeRS485: No data found with id 40083
10.02.2015 22:26:03: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:26:03: NibeRS485: Ignoring
10.02.2015 22:26:03: NibeRS485: Received:
5C 00 20 6A 06 93 9C 26 00 00 00 65

10.02.2015 22:26:03: NibeRS485: Sending ACK
10.02.2015 22:26:03: NibeRS485: ERROR: Received unqueried or cancelled query data with 0x6A frame.
10.02.2015 22:26:03: NibeRS485: Received:
5C 00 20 6B 00 4B

10.02.2015 22:26:03: NibeRS485: Sending ACK
10.02.2015 22:26:03: NibeRS485: Ignoring frame with unknown command in byte 4.
10.02.2015 22:26:03: NibeRS485: Received:
5C 00 20 69 00 49

10.02.2015 22:26:03: NibeRS485: Sending ACK
10.02.2015 22:26:03: NibeRS485: Ignoring frame with unknown command in byte 4.

10.02.2015 22:26:03: NibeRS485: Received:
5C 00 29 90 00 B9

10.02.2015 22:26:03: NibeRS485: Ignoring

10.02.2015 22:26:03: TaloLoggerThreadStore: Received none or unknown data for command
NIBERS485.EB100-BT1 Outdoor temp.

10.02.2015 22:26:03: TaloLoggerThreadStore: Storing logged data with 4 points.

10.02.2015 22:26:03: TaloLoggerThreadStore: Logged data for timestamp 20150210222600
dummy: 14.8
nibeoutdoor:
hwsupply: 61.3
current_phase1: 3.4

10.02.2015 22:26:04: NibeRS485: Received:
5C 00 29 55 02 08 00 76

10.02.2015 22:26:04: NibeRS485: Ignoring